









# THE TIDEWAY CODE

A Code of Practice for rowing and paddling on the Tidal Thames

Forward: The Tideway Code 3
INTRODUCTION
The Port of London Authority 4 Why does this Code of Practice exist? 4 What is working the slacks? 5 Rowing boats 6–7 Paddled boats 8–9 Rowing & paddling: the differences 10 Above Putney bias & Using this Code 11
TIDE & STREAM
Ebb tide, flood tide & the tidal stream 12–13  – What is the stream?
PLANNING AN OUTING
Topical information
What to check and assess16Who is afloat & Communications16Weather conditions17Tidal & water conditions18Time of day18Previous experience & Group briefings19Paddle group management19Rowing flotillas19

Afloat in the dark and reduced visibility . 30 Boat lighting
COMMUNICATION & REPORTING
VHF radio
ROLES & RESPONSIBILITIES
Information distribution
BASIC PRINCIPLES OF NAVIGATION
Port & starboard
Bridges, piers, buoys & moorings 66–67

FURTHER PRINCIPLES OF NAVIGATION
Stopping68Turning69Proceeding abreast70Paddle group management & Soloing.71Overtaking72-73Avoiding collisions: head-on situations.74Avoiding collisions: turn-of the tide.75
TIDEWAY DIRECTIONS 76
Reduced upriver depths
- Putney Bridge & Crossing 100–101  CENTRAL LONDON 102–103
Putney Bridge & Crossing
CENTRAL LONDON102–103Putney Bridge to Chelsea Bridge104–105Chelsea Bridge to Tower Bridge106–107Heart of London108–111- Westminster & Embankment109



This booklet is a based on:

The Tideway Code: A Code of Practice for rowing and paddling on the Tidal Thames 2019 (First edition).

With thanks to the contributors to this edition:

Port of London Authority, Thames Regional Rowing Council, Paddle UK, Great Britain Outrigger Canoe Association, London Kayak Company, Active360, RNLI, Neil Pickford,

Original photography by the PLA, Todd-White Art Photography, London Kayak Company, Active 360, Bill Mitchell, Neil Jackson, Antony Reynolds, Malcolm Knight, Neil Pickford, Daniel Walker and Ollie Harding,

Original illustrations by Neil Pickford (data supplied by PLA Hydrographic services)

Designed and typeset by Neil Pickford - neilpickford@mac.com



















#### **The Tideway Code:**

#### A Code of Practice for rowing and paddling on the tidal Thames

Navigating any type of small recreational vessel on the tidal Thames, or Thames Tideway as it is also known, requires knowledge of the river and how it operates. The Tideway is by far the busiest inland waterway in the UK which, coupled with a fast-flowing tide and many bridges, piers and moorings, creates a challenging waterway on which to navigate.

This is the second edition of a combined Tideway Code – aimed at both rowers and paddlers – and follows many years of various, separate codes of practice being implemented in the Port of London. The Port of London Authority (PLA), Thames Regional Rowing Council (TRRC) and Paddle UK have produced this combined code to advise both new and existing users who plan to navigate anywhere along the tidal Thames between Teddington Lock and the Sea.

The Tideway Code is intended to be a readily available and easily assimilated user guide. It has been developed by experienced Tideway users with recommendations based on a detailed risk assessment and the requirements of local and international regulations. Its objective is to provide rowers and paddlers with a single comprehensive source of information and advice about how best to navigate on the tidal Thames.

The Tideway is a busy waterway and all users should ensure that they can cope with the expected conditions in a bustling tidal river. Activities should be risk assessed and undertaken safely, with appropriate good environmental practices and consideration for other river users. Safety will best be enhanced by the application of three fundamental principles:

Keep a proper lookout
 Know and follow the rules
 Show consideration for others

Enjoy the river and look after one another afloat

# I TIDEWAY C



#### **Port of London Authority (PLA)**

The 95 miles of tidal Thames stretching between the estuary and Teddington Lock comes under the jurisdiction of the PLA whose role is to keep commercial and leisure users safe, protect and enhance the environment and promote the use of the river for trade and travel.

The PLA is ultimately responsible for regulating Tideway navigation and does that in a number of documents:

- Collision Regulations (Col Regs)
- Port of London Act
- Thames Byelaws
- General Directions
- Notices to Mariners (NtMs)
- Port Information Guide

By its very nature, the Tideway Code must refer to and recognise these regulations. Wherever navigational regulations are quoted they are enclosed in a coloured panel, such as this one, for ease of recognition.

The PLA keeps all of its regulations under review and the latest additions can be found in their entirety on the PLA website *pla.co.uk* 

Ignorance of these regulations is not an acceptable defence in the event of an incident.

#### Why does this Code of Practice exist?

The Tideway Code is a special navigational concession for users of man-powered boats – specifically rowing boats, canoes, kayaks, dragon boats and stand-up paddleboards.

Its origins, known as "Working the Slacks", are explained on the opposite page and it exists to allow for the **easiest** navigation on such a large tidal river. A study by the Salvage Association in 2004 concluded that: when used properly, these special navigation rules are also the **safest** option for small man-powered boats.

There are two Tideway Code Areas, Upper and Lower (see next page) where these special navigation rules apply and within which users are expected to navigate according to the Tideway Code. Outside these areas Col Regs or the starboard-side rule must be observed.

However, it must be made clear that being allowed to navigate by working the slacks, for sport and leisure, is a privilege conditional upon responsible, safe navigation, which may be removed if not adhered to. It is therefore up to the rowing and paddling communities – clubs, associations, commercial providers and individuals – to take responsibility for following the Tideway Code thus ensuring that the traditional privileges historically enjoyed in these areas are not taken away for good, to the detriment of their sports.

This Code of Practice is specifically aimed at **rowing and paddling** on the Tideway. For guidance and advice on other recreational sports and activities on the tidal Thames please see the PLA publication 'Tidal Thames: Recreational Users Guide' or visit the PLA leisure users website – activethames.co.uk


#### What is "working the slacks"?


Working the slacks is a navigation system historically developed by working oarsmen: to use the easier 'slack' water when rowing against the tide, rather than have to force their boat into a strong current.

In general, water flows faster around the outside of a bend and it leaves slower or 'slack' water on the inside of the bend. Traditionally, oar-powered boats in transit have been allowed to break with the normal navigation rules (of staying to starboard) by rowing in this slower moving, 'slack' water on the inside of the bends – but only against the tide.

It is this practice that is known as working the slacks and it's a little like being allowed to drive up the hard shoulder of the motorway against the flow of the traffic.

The Tideway meanders significantly so boats going against the tidal stream must swap banks to stay in the slack water. Within the Tideway Code areas, they may only do this at pre-arranged Crossing Zones.





#### **Rowing boats**

For the purposes of this Code a rowing boat is defined as:

A small, lightweight, narrow-hulled boat propelled by the use of oars, where the oars are in contact with the hull and act as levers. The crew have their backs to the direction of travel

#### Types of rowing boat:

The types of rowing boat detailed on this page are not definitive but refer to the most common types found on the Tideway. Rowing boats are generally made of either wood or carbon-fibre composites and there are basically two types:

- Sliding seat (fine boats).
- Fixed seat (larger boats).

Rowing is a generic term consisting of two basic techniques:

- Sweeping each crew member has a single long oar which is drawn with both hands.
- Sculling each crew member has two shorter oars, one in each hand.

Rowing boats can also either be coxed or coxless:

- Coxed an additional, non-rowing crew member steers the boat. The coxswain (cox) may be in the stern or the bows of the boat but will always face in the direction of travel.
- Coxless one of the rowing crew steers the boat, usually from the bow seat – by use of a foot steering system on larger boats. They will have their back to the direction of travel and have to look around to steer.

#### Fine boats (Racing boats)

These are, by some margin, the most common rowing boats found on the Tideway, particularly above Putney.

Fine boats have very long, narrow hulls with decks fore and aft, outriggers and sliding seats where crew members sit in-line. Crew numbers range from 9 people to 1 person:

- Eight (sweep) & Octuple (scull): 8 rowers + cox Always coxed
- Four (sweep) & Quad (scull):
   Coxed: 4 rowers + cox

Coxless: 4 rowers

- Pair (sweep) & Double (scull):
   2 rowers
   Almost always coxless
- Single scull:
   1 rower
   Always coxless











#### **Touring boats (Tubs)**

Generally bigger, heavier and thus more stable than fine boats. Touring boats or 'tubs' also have outriggers and sliding seats. The crew sit in-line and can vary from 2 to 5 people. They can be both swept or sculled and can be coxed or coxless.

#### Gigs, Cutters & Skiffs

These are generic terms for medium-sized, open rowing boats. Usually more 'traditional', woodenbuilt boats, they have rowlocks on their gunwales and fixed seats.

**Gigs** are generally sea-going vessels and the most common is the Cornish pilot gig: a 6 person sweep crew who sit abreast in two rows and are always coxed.

**Cutters** are very similar to gigs but can be swept or sculled.

Thames skiffs, in the context of this Code, are sculled boats where the crew sit in-line and are more commonly 1 or 2 person boats, usually with coxes.







#### **Paddled boats**

For the purposes of this Code a paddled boat is defined as:

A small, lightweight, narrowhulled boat propelled by the use of paddles, where the paddles are held directly by the paddler who faces in the direction of travel.

Most modern kayaks and canoes are made of plastic although some older boats are often wooden as are some SUPs. Racing class boats are more often of a fibre-glass or carbon construction and inflatable kayaks, canoes and SUPs are increasing popular.

Types of paddled boat: The following examples of paddled boat are not definitive but refer to the most common types of paddled boat found on the Tideway.

#### **Kayaks**

A kayaker sits in their boat and propels it with a **double-ended paddle**. The boats generally have decks, although sit-on-top kayaks are seen occasionally. Kayaks generally have crews of 1 or 2 people (occasionally 4) who sit in-line. They come in larger, more stable touring/sea-going classes or much less stable racing classes (K1/K2) which are finer and faster.





#### **Canoes**

A canoeist may kneel or sit in the boat and propels it with a **single-ended paddle**. They are usually paddled by a crew of 1 or 2 people who sit in-line. Open canoes are often referred to as 'Canadian' canoes and are generally used for touring and recreation, whereas racing class canoes (C1/C2) have decks and are much finer and faster but much more unstable





#### Stand-up paddleboards (SUP)

This is a fast-growing water sport with links to surfing and although some touring and racing boards differ in style, most SUPs are similar to a surf board. Commonly a single person maintains an upright stance on the board and uses a **long single paddle** to propel themselves through the water. SUPs are a comparatively unstable craft with little freeboard.



#### **Outrigger canoes (Outriggers)**

Outriggers consist of a narrow main hull with smaller, stabilising outrigger or 'ama' on one side. They generally have a short fore and aft deck but are otherwise considered to be open boats which vary in size from 7m single person (OC1) to 14m 6 person (OC6). The crew sit in-line propelling the boat with a single paddle. Steering is done by the crew member in the stern.



#### **Dragon boats**

Dragon boats are long, open boats of varying sizes. The crew sit abreast and drive the boat along with a **single paddle** to the beat of a seated drummer in the bow. They are steered by a coxswain with a paddle who stands in the stern. Dragon boats are wider and have more freeboard than some paddled boats but are considered to be open boats.




See the 'Equipment & Clothing' section (pp.22–35) for general advice on boat choice and suitability for certain water conditions.

There are restrictions for both rowing and paddled boats (SUPs in particular) on some areas of the Tideway (from p.76).



#### Rowing and paddling: the fundamental differences



#### **Above Putney bias**

Due partly to restrictions and partly to the suitability of the water, the vast majority of rowing and paddling on the Tideway happens above Putney.

It's no coincidence that the content of this Code is skewed towards the upper section of the river between Putney and Teddington, since it is by far the busiest section for both rowing and paddling and thus requires the most attention.

This concentration of small boats can lead to potential problems since they have to share the same navigation patterns. Issues can be compounded by differences in relative speed and manoeuvrability between different types of small boat and by rowers and paddlers often facing in opposite ways, despite travelling in the same direction!

Therefore all small boat users must pay particular attention to their lookout (p.54) as well as understand the relative nature of each others' vessels (see opposite page).

The same applies below Putney of course but in this section of the river there are far fewer small boats. Between Putney and the Thames Barrier the issues are more about dealing with large, commercial vessels and the additional danger that comes with them, particularly through the very busy Heart of London (pp.108-111).

#### **Using this Code**

In general, the information in this Code applies to both rowers and paddlers. Of course both have their own terms to describe their equipment and processes and the Code aims to use the most suitable generic language. Within this Code the following terms are used:

#### **Small boat**

Any small man-powered rowing or paddled boat.

#### **Outing**

Any training, journey or trip on the river.

#### Steers

Any person steering the small boat whether a coxswain, crew member or paddler.

#### Crew

People propelling a multi-person boat (+ coxes).

#### Inbound

Moving up-river/inland.

#### Outbound

Moving down-river/seawards.

There are occasions where the detail is specific or relevant to only rowers or paddlers. Where this occurs a small symbol identifying the relevant group is shown either alongside the heading, as a bullet point or on a diagram:





#### Ebb tide, flood tide and the tidal stream

The Thames below Teddington Lock is a **tidal river** and navigation is essentially based around the behaviour of the tide, which changes regularly.

The tidal rise and fall can be as much as 7m and the flow can reach 4knots (more around bridge, piers, moorings etc.) so attention must be paid to both the direction and the strength of the tide and the stream. On the Tideway the tide will always turn first downriver (i.e. at the estuary).

Both rowers and paddlers (including coaches and group leaders) need to be especially aware of the tide direction with regard to working the slacks against the tide and how this affects navigation within the Tideway Code Areas (pp.62–63).

It is therefore vital for safe navigation that the tidal stream conditions and tidal sets (p.14) are understood and situational awareness is maintained at all times.

#### What is 'the stream'?

The visible flow on the surface of the river is referred to by many Thames boaters as 'the stream'. Although they almost always flow in the same direction, the stream's direction can occasionally differ from that of the tide. For Example...

... a less common effect, known as **swelling**, happens during periods of prolonged, heavy rainfall when there is a visible outbound flow even though there is an inbound/flood tide. Swelling usually occurs during the winter months and steers above Putney should always **navigate according to the visible stream direction** and not the *predicted* tide.


To avoid any confusion, this Code presumes the normal state of the stream and tide flowing in the same direction. This direction of flow is referred to as the **'tidal stream'**.

Knowing the tide direction is critical and tables of *predicted* tide times are available online at *tidepredictions.pla.co.uk*. Various other websites and apps also provide this information.

Apart from tide tables, which only give *predicted* tide times, there are several practical ways to check the tidal stream direction, although you must always allow for the strength and direction of the wind:

- Look at boats moored only at one end, they will hang downstream from their mooring
- See what direction floating objects drift in
- Look at which direction the water is flowing past a bridge buttress or buoy (see below)





These diagrams show approximate time differences between Woolwich and Teddington (based on London Bridge). Predicted tide tables are available online <u>tidepredictions.pla.co.uk</u>



#### ► The ebb tide

When the tidal stream is flowing **outbound** and the water level is **falling**.

Above Putney the ebb tide takes approximately 8.5hrs to run out from high water to low water.

#### ? Turn of the tide

At the top (high water) or bottom (low water) of the tide, as it is changing from one direction to the other, there is a period of up to 10 minutes called 'slack water' where there is no tidal stream. Slack water requires extra care to navigate on (p.75).

#### ■ The flood tide

When the tidal stream is flowing **inbound** and the water level is **rising**.

Above Putney the flood tide takes approximately 4.5hrs to come in from low water to high water.



#### **Factors affecting the tidal stream**

#### Wind

The wind can have a considerable effect on the river. If the wind is in the same direction as the tide it will speed up the tidal stream. If it is against the tide (wind-over-tide), it will 'chop-up' the top of the water and can make for very difficult conditions, especially at high tide. Sometimes a very strong wind can even give a false impression of the tidal stream direction. The Tideway meanders considerably so it is important when planning a trip to remember that wind will affect the river differently along its course.

#### **Thames Barrier closures**


When the Thames Barrier is closed (see opposite) it will have a noticeable and confusing effect on the tidal stream (similar to swelling, p.12). It may be hard to tell in which direction the tidal stream is flowing and the flood tide may not really feature at all. If in doubt, navigate to starboard/Col Regs (p.60) since there will be no slacks to work in!

#### **Draw-offs** (normally October – November)

The draw-off usually lasts for four weeks and is when the half-tide barrier at Richmond is left open during low water for maintenance. This allows the river to drain to its natural level, which is much lower than usual. This also has an effect on the river flow and low water level down as far as Kew Bridge and sometimes beyond.

#### Neap tides (weak tides with a small tidal range)

On rare occasions a particularly weak, flooding neap tide can cause similar effects to swelling (p.12).



#### Tidal 'set'

Small boats in particular need to be aware of the tidal set. This is caused by the tidal stream which will always 'set' to its natural course around the outside of a bend. However, the natural course of the tidal stream may not follow the correct navigational course.

In the example above, heading outbound around the bend on an ebb tide, the correct navigation is to stay on the starboard side of the Fairway, towards the inside of the bend. However the tidal set will naturally push boats towards the outside of the bend. Steers must be aware of the need to proactively adjust their course to correctly remain on the starboard navigational line and avoid their boat being pushed out of position (and possibly into danger) by the tidal set.

#### Fluvial flow and the ebb tide

Fluvial flow is the amount of water flowing outbound (down-river) from the non-tidal Thames. There is always water flowing outbound and is the reason that the river fills up very quickly when it meets the inbound flood tide. After heavy rainfall, the fluvial flow will increase causing the outbound stream to increase in speed. When combined with an ebb tide it can make the river more difficult to navigate on – and in some cases dangerous – which is why a warning system has been put in place.

#### **Ebb Tide Flag Warning system (see panel, right)**

**Between Teddington and Putney,** an Ebb Tide Flag Warning system is provided by the PLA to help indicate the speed of the fluvial flow to small boat users. It is similar to the red and yellow board system used by the Environment Agency above Teddington but on the Tideway **it only applies to the ebb tide.** 

The system is updated daily at <u>pla.co.uk</u> where it is displayed as a widget. This widget is freely available to all Tideway clubs and should also be installed on their own websites.

Prior to boating, rowers and paddlers are expected to have completed a risk assessment which ensures an adequate Passage Plan. The Ebb Tide Flag warning system is a key element of any risk assessment and thus should be always monitored and adhered to. Those boating in contravention of the Ebb Tide Flag Warning advice would be in breach of the Tideway Code.

Other information regarding scheduled Thames Barrier closures and draw-offs are available via the PLA website, Notices to Mariners page *pla.co.uk/notices-mariners* 

#### **Ebb Tide Flag Warning system**

#### Ebb Tide Flag



Fluvial Flows

#### **Extreme Caution**

Conditions are difficult and dangerous.

All man-powered

All man-powered vessels are advised not to go afloat on the ebb tide.

#### Ebb Tide Flag



Beginners, novices, younger junior (<.115's), any weaker crews and those that do not usually navigate on the tidal Thames, are advised not to go afloat on the ebb tide. All river users of man-powered vessels should navigate with extreme caution and consider whether it is safe to go afloat on the ebb tide.

Caution

# Ebb Tide Flag

AVERAGE Fluvial Flows All river users to navigate with caution and maintain a proper lookout.

#### Ebb Tide Flag



Fluvial flow is lower than usual. River users should expect lower than predicted tides, especially around low water.

Caution



#### **Topical information**

All recreational river users should be aware of the information and quidance available regarding the Thames Tideway.

**Notices to Mariners (NtMs)** NtMs are posted on the PLA website. All river users are strongly advised to receive NtMs by email. Subscribe at pla.co.uk

PLA online events calendar Shows all recreational events planned on the Thames Tideway pla.co.uk/river-events

The PLA smartphone app is being replaced with a mobile website: pla.co.uk/pla-mobiles



#### Social Media

X (Twitter) is particularly topical:

- @LondonPortAuth
- @AlanBarrierEA
- @Thames rrc
- @paddle uk
- @Thames21

- @ChiswickRNLI
- @TowerRNLI
- @BritishRowing
- @ocukcoach
- @ThamesPoo

#### What to check and assess

It is the responsibility of **everyone** whether afloat solo, as a crew/ group member or as a coach/group leader to ensure that they have assessed all the following factors which may affect their outing.

Do not proceed if the outcome of these checks shows up a problem with your equipment, knowledge, experience or fitness.

Nobody should allow themselves to be coerced by peer-pressure, or a coach, into going afloat if they are not comfortable with any aspect of the planned trip.

#### Who is afloat?

Clubs and centres are advised to keep a log or sign-out board of who/which boats are afloat and when they expect to return. Members should also know what to do if a boat fails to return or is overdue - this information should be part of a club's standard operating procedures and displayed near the signing-out board.

In addition to signing-out, or in non-club situations, paddlers are advised to inform London VTS (p. 36) prior to going afloat and again on their return.

#### Communications (p. 36)

To communicate with London VTS, the emergency services, or their clubs, the following should carry either a mobile phone (in a buoyant, waterproof case) or a personal VHF radio set (Channel 14):



Rowing coaches, single scullers and coxless boats (particularly in the dark)



Paddle group leaders, small groups and soloists below Richmond Lock

**Event organisers** 

#### **Weather conditions**

Weather conditions on the tidal Thames can have a significant effect on the safety and handling of small boats. The river is often exposed and the weather can create big waves and very choppy water, especially when combined with wash from motor vessels. Conditions can become awkward and physically demanding in a matter of minutes.

#### Wind

Due to their low weight and minimal freeboard, all small boats must take the effect of the wind into account when planning an outing.

- Wind-over-tide (i.e. wind blowing against the tidal stream) is a serious consideration as it can create steep, standing waves and 'choppy' conditions
- Wind speeds can vary and noticeably increase through and around bridge arches as well as in areas with tall buildings. There can also be [sudden] changes of wind direction since the river meanders considerably
- The wind can have an extra chilling effect on the body which will lower the level at which cold is felt and can lead to exposure and even exhaustion, especially if wet

#### Rain

Rain can very much affect the perceived temperature and it will feel much colder if a rower or paddler is wet, particularly if it's also windy.

Rain can also seriously reduce visibility, particularly the ability for large motor vessels to spot small boats.

#### **Temperature**

Hot temperatures can be as physically demanding as cold ones so consideration should be made to both when deciding on the duration of an outing and what kit to wear.

#### **Visibility**

As well as rain causing reduced visibility, the tidal Thames is prone to fog. **Do not attempt to go afloat if the visibility is less than 200m**.

A good guide is that if the opposite bank cannot be seen clearly then do not go afloat. For example: the river is 300m wide at Greenwich, 200m wide at Putney and Hammersmith Bridges but narrower than 200m above Hammersmith.

If reduced visibility is encountered during an outing then a safe haven should be sought. Fog is often a more serious hazard than darkness and, although large motor vessels may have radar, small boats do not show-up on radar.

Correctly lighting your boat is also essential in reduced visibility, such as fog (pp.30–35).

#### Lightning

Lightning is potentially fatal and if experienced in your vicinity, get off the river as soon as possible.

No boat should go afloat unless 30 minutes have elapsed since the last visible lightning.




#### Tidal and water conditions (pp. 12-15)

Since the Thames Tideway meanders considerably along its course, it is important to understand how this can affect water conditions on different parts of the river, especially regarding the state of the tide and tidal sets.

# What is the direction of the tide and when is it predicted to change? <u>tidepredictions.pla.co.uk/</u>

Will the intended course be affected by tidal sets or changing tides?

For rowers: the generally accepted practice is, as far as is practicable, to row out and cover technical aspects against the tide and to row back, doing work/pieces with the tide.



#### How high is the tide?

High tide means 'lumpier' water but more space. Low tide means flatter water but shallows and less space. Towards the end of an ebb tide the stream will be relatively slow.

Getting off the river two hours either side of high tide can be difficult (particularly below Putney Bridge), as there is little or no exposed foreshore and in places there are few egress points. When planning an outing, find out where the safe exits from the river are.

# Apart from the weather, will anything else affect the water? For example:

- What colour is the 'Ebb tide warning flag' and will it adversly affect fluvial flow?
- Is anything likely to cause 'Swelling' such as excessive rainfall, the Thames Barrier being shut, or a neap tide?
- Is there a Draw-off at Richmond Lock and Weir?
- Is there an event taking place or a river closure?

#### Time of day

There are some time restrictions which apply to both SUPs and rowing boats. See the Tideway directions sections for specific details (from p. 76).

Weekend mornings and summer evenings are often particularly busy on the Upper Tideway, where there is a lot of rowing activity.

Central London is almost always busy but even more so in the summer months. Commuter services are less frequent at weekends above Chelsea Bridge but sightseeing trips still operate from around 10:00am. Frequent river bus services operate daily, including weekends, as do sightseeing boats. If travelling below Putney Bridge, recreational users should be aware of the river bus schedule (p. 108).

Rowing and Paddling at night (pp.30–35)

Equipment and Clothing (pp.22–29)

Accreditation and Qualifications (pp.40–47)

#### **Previous experience**

The experience of all rowers and paddlers (whether solo or as members of a crew/group) should be taken into account, particularly with regard to the water and weather conditions:

- Long distance outings may not be suitable for the inexperienced
- For the inexperienced consider using larger or more stable boats accompanied by coaches/ leaders/steers familiar with the Tideway
- Leaders or coaches must have the necessary qualifications and experience to take a group out on the Tideway (p. 43)
- Outings through Central London must not be undertaken by the inexperienced in unstable boats. The Tideway below Putney should be treated as 'exposed water' and those using it require suitable knowledge and experience for the potentially demanding conditions

#### **Group briefings**

For coached and group outings it is important that all steers or paddlers are briefed beforehand by the coach or leader on what to expect and the purpose of the outing. The briefing should cover all of the points detailed in this section and also include any relevant information regarding group management, becoming separated and emergency situations.



#### → Paddle group management (also p. 71)

A paddle group should consist of no more than 10-15 boats. If there are more participants then consider splitting them into smaller groups, each with a suitably qualified group leader.

As well as leaders having suitable qualifications, groups should have a sufficient ratio of leaders to participants which will vary depending on the experience of the group and where on the river they are paddling. Clubs and organisations should produce their own guidelines for this although SUP groups must have a minimum 1:4 ratio of leaders to paddlers.

#### Rowing flotillas

When going out for coaching purposes, any rowing flotilla (and its coaches) must still comply with the Tideway Code, paying particular regard to:

- Positioning (pp. 60–61)
- Overtaking (p. 72–73)
- Proceding abreast (p. 70)
- Stopping (p. 68)

Rowing more than two abreast in the Fairway for the purposes of 'a competitive piece' is forbidden and boats should remain in-line astern in the Inshore Zone.

The ratio of coaches to boats should be determined by the club's own safety and welfare policies. Crews requiring coaching for safety purposes should not be out of sight of the coach at any point. Coaches should not take out more crews than they can maintain proper control over.



#### Combined Sewage Outlet discharges and the risk to navigation

As part of the new Tideway Tunnel, some of the existing sewer outfalls have now been joined together into combined sewer outfalls (CSOs). The seven sites, located from the Barn Elms Reach to Lower Pool, are also now further into the river, closer to or in the navigation channel. All river users should familiarise themselves with the locations of these sites and the effects of a foul water discharge into the Thames.

In the event of a discharge, flashing warning lights in the vicinity of each site will be activated. London VTS will also issue a navigation warning and include the CSO status on their routine navigational broadcasts on VHF (Channel 14).

This is an interim period warning system. The current discharge status of each CSO can be monitored via the PLA website and should be used to inform Passage Planning and Risk Assessments (RAs) www.pla.co.uk/cso-status

#### Important information

These CSOs may discharge foul water onto the foreshore and into the river at speeds of up to 6 knots whenever there is, or has recently been, heavy precipitation in the local catchment area. As such, paddlers, rowers and lower-powered vessels should:

- Be aware of the location of these outfalls and exercise caution in the vicinity (See panel, p.21)
- Read and follow advice contained in the Port Information Guide and any relevant Notices to Mariners
- Pay attention to the warning lights mounted on each site
- · Monitor VTS broadcasts
- Digest the information contained on the Tideway Website on the possible effects to navigation: www.tideway.london/contactus/document-library/csodischarges-risk-to-navigation
- Include the CSO activation hazard in Risk Assessments

#### Dangerous states of the tide


Paddlers, rowers and lowerpowered vessels are advised to avoid the immediate area of the CSOs over the slack water period (~2 hrs over low water and ~1 hr over high water) if there has been heavy rain. They should be extra vigilant if a Met Office weather warning for rain or storms is in force for the London area.

#### Warning light characteristics

Sets of yellow warning lights are mounted vertically in front of a black backboard either above or near to the CSO. The sites at Blackfriars, Chelsea and Vauxhall Bridges also have repeater lights. Whenever the CSO is discharging, or likely to discharge, the lights will flash an alternating 1 second pattern, visible day and night at a range of up to 200m. When the lights are flashing, human-powered craft are advised not to pass in front of the CSO site.

Note that CSO site markings are similar but not all identical.

#### CSO examples



#### **Putney Embankment Foreshore**

Warning lights

Yellow hazard warning sign

Outfall (x2 closed)



#### **Chelsea Bridge Embankment Foreshore**

Warning lights

Yellow hazard warning sign

Outfall (x3 closed)



#### Albert Embankment Foreshore (Vauxhall Bridge) Up River repeater lights

Repeater lights (on bridge)

Outfall downriver of bridge

#### **CSO Locations**

The seven CSO locations are:

- Putney Embankment **Foreshore**
- Chelsea Bridge Embankment **Foreshore**
- Heathwall Pumping station (Nine Elms Reach)
- Albert Fmbankment Foreshore (Vauxhall Bridge)
- Victoria Embankment **Foreshore (Charing Cross** Rail Bridge)
- Blackfriars Bridge Foreshore
- King Edward Memorial Park Foreshore (Shadwell Basin)



This symbol indicates the CSO location on the river diagrams within the Code

As well as the warning lights, all the CSO sites have this sign adjacent to the outlet:





#### Personal floatation devices (PFDs)

#### Anyone afloat on the Tideway should be able to swim



#### Paddling

Paddlers should wear a PFD at all times while afloat on the Tideway (see p.27 for exceptions).

The most suitable type of PFD for paddle sports is a **Buoyancy** Aid (BA). Conditions on the Tideway can vary considerably and should always be taken into account when choosing the most suitable PFD to use.



The main benefit of buoyancy aids over other types of PFD is that they are 'inherently buoyant' (i.e. they don't need to be inflated for them to do their job). Therefore, pouch or 'bum-bag' style PFDs are discouraged for use on the Tideway as they would be very difficult to don and operate once already in the water.

Paddlers who are weak swimmers or who have a medical condition that may require it, should consider a higher-rated PFD or manually-inflating life jacket.



#### → Rowing

All launch occupants and coxes must wear a PFD at all times while afloat on the Tideway, without exception.

The most suitable type of PFD for non-rowers is a Life Jacket, which are necessary as these people are generally wearing more and heavier clothing and footwear than the athletes.

It is accepted practice for athletes not to wear a PFD but all club members must prove their swimming ability



before going afloat. Athletes who are weak swimmers or who have a medical condition that requires it, must wear a suitable PFD. Rowing-compatible PFDs are available.

Self-inflating (automatic) life jackets, with crotch straps and a minimum 150N rating are advised. The exception is for coxes in bow-loaded boats where manually-inflated jackets should be used because automatic jackets run the risk of inflating with the coxswain still in the boat, trapping them under the bow canvas. It is recommended that clubs use alternate coloured jackets to differentiate between self and manual inflating jackets.

#### Personal floatation devices (PFDs)

All PFDs should have an EN/ISO number and be rated to support the weight of the wearer, taking their clothing into account.

#### **Fitting**

- The PFD should be worn on top of all other clothing and must remain done-up at all times while afloat, including the crotch strap, if fitted
- It should be easy to put on, take off and adjust
- The fitting should be snug but not tight. It should let the wearer freely
  move their arms and allow them to bend at the waist
  Loose-fitting PFDs could come off in an emergency so always ensure
  proper adjustment before going afloat
- The PFD should allow the wearer to swim easily in water and keep their face above the water
- Having a whistle and light attached to PFDs is also recommended

#### Maintenance

- Check PFDs on a regular basis for things such as rips or stitching coming undone, broken buckles and zips or missing ties. If you are unsure about any aspect of a PFD, do not go afloat with it and contact the manufacturer or an approved retailer for further advice
- Have PFDs regularly serviced by an approved supplier according to the manufacturers' instructions
- Do not machine wash or tumble dry PFDs

#### Storage

- After use, rinse in clean water, hang it up and allow to dry naturally.
- When dry, store in a cool dry place ideally out of direct sunlight and away from direct heat





**RYA** 



**RNLI** 



**British Rowing** 



Paddle UK



#### **SUP leashes**

On moving water there is a risk of the leash being caught on something. Therefore quick-release, coiled leashes should be used by all Stand Up Paddlerboarders afloat on the Thames Tideway



Straight leashes, attached to the calf or ankle are not suitable for tidal waters

#### Personal clothing, footwear and equipment

- Going barefoot is not recommended on the Tideway. Wear suitable water sports shoes/boots for getting on and off the water. Tideway users may need to walk on an uneven foreshore or boating hard with the risk of rocks, rubbish and sharp objects
- Rowers and paddlers
  must ensure that they are
  wearing suitable clothing
  for the (forecast) conditions.
  A combination of water/
  wind proof outer items and
  lightweight man-made fibre
  sports clothing with thermal,
  quick-drying properties are
  particularly suitable
- Peaked hats and sunglasses for protection in hot, sunny weather
- Cold temperatures, wind and rain will require additional layers
- Pogies to keep hands warm in very cold conditions
- Consider wetsuits and perhaps even dry suits in the winter

## Other items to consider, depending on the conditions:

- Mobile phone (in a buoyant, waterproof case, ideally attached to the body), especially for solo or unaccompanied outings and essential in the dark
- Suitable and effective boat lights if afloat in the dark or in poor visibility (pp.31–35)
- Whistle (ideally attached to PFD)
- Drinking water and snacks.
- Paddle leash / spare paddle(s)
  - · Spare clothes (in a dry bag)
- Pump / Gloves
- Rigger jigger

#### High visibility clothing (hi-vis)

It is recommended that all small boat crew members wear bright-coloured or hi-vis clothing/hats to improve their visibility to each other and other vessels, particularly amongst the commercial river traffic below Putney. Hi-vis is especially important in the dark or reduced visibility, where reflective trim is also very useful.

#### **Additional equipment**



All launch occupants *must* wear suitable Life Jackets (see p.22)

- Mobile phone in a buoyant, waterproof case, ideally attached to the body
- And/or a personal VHF\* radio set (Channel 14<sup>†</sup>)
- Paddle (in case of breakdown)
- · Spare kill cord.
- · Perry buoy or life ring
- Throw/tow line
- First aid kit (+ qualification)
- Torch (in the dark)
- · Spare clothing and/or foil vests
- Knife



To be worn or carried by paddling group leaders (and assistants) below Richmond Lock

- Personal VHF\* radio set (Channel 14†)
- And/or a mobile phone in a buoyant, waterproof case ideally attached to the body
- Whistle (ideally attached to PFD)
- · Torch/SOS light
- Spare line/tow line
- Spare paddle
- Spare clothing and/or foil vests
- Knife
- First aid kit (+ qualification)
- Laminated map

#### Kill cords

Launch drivers *must always* use a suitable kill cord attached between themselves and the engine whenever the engine is running.

The kill cord serves only one, very vital purpose: to stop the engine when the driver moves away from the controls.

Failure to wear a kill cord puts the occupants and others at risk and is a serious breach of safety. Such a serious contravention may necessitate intervention by the authorities.

A spare kill cord should always be carried in the launch.





<sup>\*</sup> SUP leaders and solo paddlers *must* carry VHF radio below Putney Bridge and it is recommended that all small boats keep a listening watch on *Channel 14* for commercial vessel activity below Putney.

<sup>&</sup>lt;sup>†</sup>VHF may have limited range, particularly upriver and/or at low water. For more details about using VHF radio see page 36.

#### Wave height

Rowers and paddlers must be aware that the tidal Thames is categorised by the Maritime and Coastguard Agency thus:

- Above Gravesend:
   Category C waters expect
   waves of up to 1.2m in height.
- Below Gravesend:
   Category D waters expect
   waves of over 2.0m in height.




#### Boat suitability: for the prevailing conditions

#### Freeboard: the amount of hull above the waterline.

All small boats have minimal freeboard in comparison to motor vessels and this very much affects their ability to cope with rough water. Larger rowing shells such as touring boats, gigs and skiffs have a little more freeboard than fine boats but are also usually open boats (see buoyancy, opposite).

Sufficient freeboard is a vital consideration on the tidal Thames as wash and draw-off from motor vessels can be difficult to handle if it is coming from the side or unexpectedly from behind. Certain weather conditions, particularly wind against tidal stream, can also cause very rough water.



#### Decking: is the boat 'open' or 'closed'?

The integral decks on a closed boat allow water to pass over the boat without taking any on board (swamping). Spray decks fitted to paddled boats will help enormously in this regard.

The integral decks in most modern rowing shells also help avoid swamping by limiting the volume of water that can come aboard. In this way, modern rowing shells should remain rowable even when partially swamped.

Fully open boats such as Canadian canoes and older (wooden) rowing shells are much more susceptible to swamping.

#### Boat suitability: for the prevailing conditions

Buoyancy: a boat's ability to remain afloat even if swamped. In addition to a PFD, the boat itself can also act as a useful aid

in remaining afloat in an emergency situation – but only if the boat is itself buoyant.



Paddleboards have inherent (built-in) buoyancy. Most modern kayaks and outrigger canoes are also inherently buoyant due to their decks - but only if any hatches are correctly done-up. Some older paddled boats, most open canoes and dragon boats, may require additional buoyancy bags to be retro-fitted for safe Tideway use.



Since rowers don't usually wear PFDs, all rowing boats afloat on the Tideway *must* be fitted with inherent buoyancy (i.e. waterproof hatches) or be retro-fitted with suitable buoyancy bags. All buoyancy must be sufficient to allow the boat to keep the whole crew afloat in the event of a capsize.

#### Conclusion

Open boats (canoes or dragon boats), very narrow racing-style paddled boats, single sculls and smaller rowing boats are not well suited to rough water or big waves. Neither are SUPs, due to their lack of freeboard.

#### **Recommendations**

All open boats should be retro-fitted with additional, suitable buoyancy bags sufficient to ensure they remain manoeuverable even if swamped.



Conditions are often demanding below Wandsworth and only the more experienced paddlers should venture below this point using a suitable kayak or canoe. It is recommended that dragon boats, SUPs and particularly inflatable boats remain above Putney Bridge where water conditions are less demanding.

If a club or an experienced adult individual determines that their boat is an adequate substitute for a PFD when paddling above Richmond Lock, where the river is more benign and semi-tidal, a careful risk assessment should be carried out.



In rough conditions, rowers should consider using larger boats or limiting the scope of their outing to more sheltered areas.

Note: All rowing boats *must* also have suitable, functioning heel restraints and bow balls fitted before going afloat. Both of these pieces of safety equipment are essential and potentially life-saving.



#### Port of London Thames Byelaws 2012 – Byelaw 53

# **Vessel identification and marking**

A vessel to which this byelaw applies must exhibit its name painted in letters (or numbers) of a length not less than 0.1 metres and of proportionate breadth on each side of and in a colour contrasting with that of the hull or superstructure, provided that, if the vessel is of less than 20 metres in length and compliance with the foregoing requirements is impracticable, the name or number must be otherwise exhibited in one or more positions as prominently and clearly as practicable.

### → Rowing boat identification (ID)

*All* rowing and coaching boats using the tidal Thames, including those visiting the Tideway for Head races or training and foreign crews, *must* display a six-character ID code comprising a three letter club code plus three unique numbers. All ID codes *must* be registered with the club they relate to.

Contact British Rowing for club codes. Tideway club codes can be found on pages 128–129.

ID codes can also be registered with the Environment Agency (EA) allowing them to be used off-Tideway, without requiring a separate EA boating licence. The cost of registering a boat's ID with the EA is approximately half the cost of purchasing a separate boating licence.

#### Rowing boat ID code, specification:

Size: 50mm minimum cap height, preferably 60mm Typeface: Ariel, Helvetica or similar 'sans serif' style font

Colour: Any but must contrast with the colour of the shell and

be easily legible from 30m in daylight

**Position:** Ideally at the forward (bow) end of the sax board and on both

sides of the boat





#### Paddled boat identification (ID)

#### Boats that belong to clubs or commercial outfits

Such boats must display a five-character ID code comprising a unique two digit number followed by a three letter club code. To register a club code please contact the PLA (p. 130).

#### Personal and private boats

Boats owned by individuals are required to be marked with a **name** (see Byelaw 53, opposite). They are not specifically required to display a fivecharacter club ID but are encouraged to do so (see panel right). Owners are also advised to display contact information on their boats, such as the ID sticker found in the RNLI's Kavaking Safety Pack.

#### Paddled boat ID code, specification:

Size: 40mm minimum cap height

**Typeface:** Ariel, Helvetica or similar 'sans serif' style font

Colour: Any but must contrast with the hull colour and be easily legible

from 30m in daylight. A recommended option is to place the ID

on retro-reflective SOLAS tape, for increased visibility

Position: In a prominent place on both sides of the boat, ideally on the

most vertical surface possible above the waterline




## Why boat ID is necessary

Club ID codes and names allow boats to be more easily identified in an emergency or, if found unattended, returned to their owner.

If more than one group is out on the river, particularly in Central London, using the boat's ID code as a call-sign assists vessels to distinguish between the groups and to make contact via VHF.

Boat ID codes are also useful for incident reporting (p.36) and being able to identify a specific group or boat can help with incident investigation.





All small boats *must* inform London VTS (p. 36) if they are out in the dark below Wandsworth Bridge, either by phone or VHF radio (Channel 14).

SUPs may not paddle after dark below Chelsea Bridge.

#### Afloat in the dark and reduced visibility

Going afloat in the dark or in reduced visibility is evidently much more hazardous than in daylight so requires additional equipment and different clothing – as well as more thorough planning and risk assessment.

- All boats must be correctly lit (see opposite and overleaf)
- As far as possible, wear high visibility clothing and hats (white or bright colours) preferably with reflective trim
- It is essential that someone knows who is afloat. Use a sign-out board and/or inform London VTS (p.36)
- Always carry means of communication: mobile phone or VHF handset (Channel 14) or other means of attracting attention such as a torch and/or whistle
- Use of reflective tape on boats and/or oars/paddles is a very effective way of improving a boat's visibility in the dark. On paddle boats the ID should ideally be applied over a reflective base (p.31)
- It is recommended that rowing boats are accompanied by a launch after dark and that single scullers go out in a minimum of two boats together
- Solo paddling is not recommended in the dark (p.71) and it is preferable for paddlers to proceed in a group, as a group can be more easily seen (see p.31)
- Consider limiting the range of outings to areas of the river that are well lit from the bank
- Sunrise and sunset times are displayed on both the <u>Met office</u> and <u>BBC weather</u> forecasts



#### **Boat lighting**

By law, boats must be correctly lit in darkness and reduced visibility. If boats do not have the correct lights when afloat then the Master of the vessel is breaking the law.

Small boats need to be as visible as possible, so lights must be displayed at all times of reduced visibility such as mist, fog, rain or snow and of course at night or in the early morning. Darkness is defined as before sunrise or after sunset.

If an evening outing is planned, even if the intention is to return in daylight, lights must be taken as daylight can fade very quickly or an unexpected delay may be encountered. **If in doubt, use lights.** For details see:

Rowing boats (p.32) and coaching launches (p.33)

Paddled boats (pp.34–35)



#### Col Reg Rule 25

## Sailing vessels underway and vessels under oars

d (ii) A vessel under oars may exhibit the lights prescribed in this Rule for sailing vessels, but if she does not, she shall have ready at hand an electric torch or lighted lantern showing a white light which shall be exhibited in sufficient time to prevent collision.

#### Col Reg Rule 20

# Application (Lights and Shapes)

The lights prescribed by these rules shall, if carried, also be exhibited from sunrise to sunset in restricted visibility and may be exhibited in all other circumstances when it is deemed necessary.

For the purposes of this rule paddled boats are also considered to be 'under oars'.




# Lighting rowing boats

The following lights should be firmly fixed to the boat:

On the bow: a flashing white light (to determine direction of travel).


On the stern: a constant white light (i.e. not flashing).

- Each light must be visible for 800m and through 180° – the boat must effectively have lighting visible through 360°
- Red or other coloured lights should never be used
- Lights must have good batteries, be waterproof and diffused so as not to 'dazzle' other river users
- Unidirectional lights are not permitted as they are not safe. At least one spare light should be carried at all times and additional lights or white LED sticks, attached to the back of the bow or cox, may be used
- Reflective tape on the oars is recommended to help improve a boat's visibility



#### Lighting coaching launches

At times of reduced visibility and in the dark launches must display a constant, stable masthead white light, visible through 360° and for 800m. This should be least 300mm above the head of the driver with port and starboard side lights below. A back-up torch should always be carried.



If you do not have the correct lights you are

breaking the law so you do not go afloat.

#### Col Rea Rule 23

#### **Power-driven Vessels Underway (Lights and** Shapes)

- (a) A power-driven vessel underway shall exhibit:
- (i) a masthead light forward;
- (iii) sidelights; and
- (iv) a stern light.
- (d) (i) A power driven vessel of less than 12 metres in length may in lieu of the lights prescribed in paragraph (a) of this Rule exhibit an all-round white light and sidelights;
  - (ii) a power driven vessel of less than 7 metres in length whose maximum speed does not exceed 7 knots may in lieu of the lights prescribed in paragraph (a) of this Rule exhibit an allround white light and shall, if practicable, also exhibit sidelights.



A cheap and effective way to arrange suitable boat lights for both rowing and paddled boats is as follows:

Take a small polythene food container, a basic LED bike light, some self-adhesive dual-lock tape (or heavy-duty Velcro/magnetic tape). Use the tape to first fix the light inside the container and then the container to the boat.



Lights with multiple LEDs and either AA or AAA batteries are best. Single LEDs and button batteries are not sufficiently powerful for Tideway use.



#### Lighting paddled boats


As far as possible, the following lights should be firmly fixed to the boat. On SUPs or kayaks and canoes low to the water, lights may have to be fixed to the chest and back of the paddler rather than the boat.

On the bow: a constant (not flashing) white light. On the stern: a constant (not flashing) white light.

Note: In the Tideway Code Areas a flashing white light is required on the bows of rowing boats to help determine their direction of travel. It is not required by, and should not be used by, paddled boats.

- Each light must be visible for 800m and through 180° The boat must effectively have white lighting visible through 360°
- Red or other coloured lights should never be used
- Lights must have **good batteries**, be waterproof and diffused, so as not to 'dazzle' other river users or members of your group
- Unidirectional lights are not permitted as they are not safe. At least one spare light should be carried and additional lights such as head torches can be used to warn approaching vessels of your presence. but can also 'dazzle' other river users if used inconsiderately
- White LED sticks, attached to the paddler, may be used and reflective tape on paddles is recommended to improve visibility
- When paddling as a group, all boats in the group must carry lights. It is not sufficient to have a single set of lights to cover the whole group

If you do not have the correct lights you are breaking the law so you do not go afloat.





#### **VHF Radio**

There is constant VHF communication between London VTS (who regularly broadcast Notices to Mariners and other pertinent information), commercial and commuter vessels and London Coastguard. They all work closely together and will also coordinate any emergency response that may be required on the river.

A personal VHF handset is advised in busy commercial traffic areas where it can be invaluable for keeping a listening watch on the intentions of other vessels or to receive critical information. SUPs must carry VHF below Putney Bridge.

Users do not need a licence to listen on VHF but do need the appropriate licence to broadcast. Having such a licence means small boats are also able to make other river users aware of their intentions.

Many modern VHF sets also include the option of a Digital Selective Calling (DSC) button which will send a pre-defined distress signal, including your location. This is recommended for small boats.

# **London Vessel Traffic Services (VTS)**

River section	Phone	VHF
Teddington to Crayfordness	0203 2607711	Channel 14
Crayfordness to Sea Reach 4	01474 560311	Channel 68
Sea Reach 4 to Seaward Limit	01474 560311	Channel 69

<u>London VTS</u> is a division of the PLA which oversees day-to-day safety and navigation across the whole of the tidal Thames, 24/7, 365 days a year. They are the shipping equivalent of Air Traffic Control and have a great deal of information to hand such as river works, arch closures and traffic movements as well as being in close contact with the emergency services.

For small boats, being involved in this communication network is extremely beneficial, particularly in Central London where river traffic is very busy.

#### When to contact London VTS

- All small boats are advised to inform London VTS before navigating below Wandsworth Bridge
- All small boats boats must inform London VTS before navigating between Chelsea Bridge and Cherry Garden Pier (Central London)
- All small boats boats must inform London VTS when they are afloat in the dark below Wandsworth Bridge
- Events organisers must inform London VTS that the event is about to start and again once the event has finished

# Emergencies: where there is immediate or potential threat to life

#### **Primary emergency option:**

Phone: **999 or 112** and ask for the **Coastguard** who will coordinate the appropriate response.

#### VHF: See listings on p.36 for appropriate channels

London VTS will either alert the Coastguard, who will task the appropriate emergency service, or other vessels in the vicinity who may be able to offer even more immediate assistance.

In all cases callers will need to provide details of their location on the river and the direction of the tide. Use landmarks and bridge names to detail that position or use the *What 3 Words* app to help pinpoint your exact location.

#### **Secondary emergency option:**

If you are unable to communicate by either phone or VHF then attempt to attract attention from other vessels nearby or people on the shore. A whistle is very effective for doing this as it carries further than a shout. You may also be able to attract attention by waving or flashing a light.

#### If in doubt, report it

River users are the best eyes and ears on the river and emergency services may depend on you to report an incident – don't presume that someone else has already reported it.

#### You should immediately report the following if:

- · You see or hear someone in difficulty
- You think someone might be in danger or is about to do something reckless – report it before it happens!
- A boat or group is significantly overdue back at your club and you are unable to contact or locate them

#### Carry the kit

It is recommended that below Richmond Lock, all small boats, particularly coaches, group leaders and soloists carry a mobile phone (in a buoyant, waterproof case) or a personal VHF handset to summon help in emergencies.

Phones or radios should be carried where they are readily accessible on their person and not tucked-away in a hatch or bag.

# SUP leaders and solo paddlers *must* carry VHF below Putney Bridge.

Be aware that the RNLI, police, fire service or PLA may need to respond to incidents at speed, signified by flashing blue lights and/or sirens. Be prepared for wash and give them space in which to work.





#### INCIDENT REPORTING

Life-threatening emergencies on the river: Call 999 and ask for the Coastguard

For near miss, safety observations and incident reporting click below

Make a report

# Non-emergency incident reporting

All incidents on the Tideway must be reported:

Paddlers: to the PLA *pla.co.uk* (Make a report button)

Rowers: to BR incidentreporting.britishrowing.org (login required)

Any incident should also be reported to your club/organisation's captain or safety advisor/officer, particularly if it involves damage to a boat or personal injury. This is the case for all boats using the tidal Thames whether or not they are based on the river.

- · Incidents should be reported as soon as possible and within 7 days
- Any incident where the RNLI is called must be reported within 24hrs

The sorts of incidents that must be reported are:

- Capsizes caused by a third party or requiring the emergency services
- Collisions with other boats or vessels
- Contact with stationary objects (submerged obstructions, bridges, piers etc) that results in personal injury, substantial damage or shipwreck
- · Near misses and poor or unsafe navigation
- Personal injury
- Inappropriate or inconsiderate behaviour (see below)
- A Simple capsizes rowing boats only

No life jacket or no kill cord - coaching launches only

#### **Behaviour of motor vessels**

The PLA encourages small boats to report any navigational incidents, near misses etc, as soon as possible to **London VTS**, to ensure that proactive compliance action can be undertaken (see p.36 for contact details).



# British Rowing Incident Reporting System

Although the PLA is responsible for controlling Tideway navigation, the rowing community is expected to self-regulate its members' adherence to the Tideway Code. This is done using the British Rowing Incident Reporting System. The system is essentially informative and educational. Clubs should use reports to assess their safety performance. The reports also help inform the Thames Regional Rowing Council (TRRC) on any trends affecting safety and will be shared with the PLA.

All incidents, however minor, should be reported, using the British Rowing Incident Reporting System. This reporting system is recognised as following byelaw 8.2. After a report is filed the Second Party does not need to file a report but should add their comments to the Comments Section of the original report so a constructive dialogue can take place. These comments can be seen by the Thames Regional Safety Advisor who can offer advice.

Clubs who repeatedly ignore the Tideway Code or fail to improve their safety, may be subject to intervention by the TRRC. Serious incidents will trigger intervention by the PLA. For more details visit *thames-rrc.co.uk/incident-reporting* 

# Port of London Thames Byelaws 2012 – Byelaw 8 Reporting accidents and incidents

- 8.1 Where any vessel has, whilst in the Thames:
- a) sunk or is in danger of sinking;
- b) been abandoned;
- c) become derelict;
- d) been in collision with another vessel, shore facility, the river embankment, a structure including any part of a bridge or a berthed or moored vessel or object;
- been damaged or caused damage to anything (including a vessel);
- f) been or is on fire or has suffered an explosion;
- g) taken the ground or stranded (not being a vessel which has intentionally taken the ground);
- h) run into, fouled or damaged any light, buoy, beacon or other aid to navigation;
- suffered any person falling overboard except in relation to a recoverable capsize of a sailing dinghy or a vessel propelled by paddles or oars;
- suffered any other accident normally required to be reported to the Marine Accident Investigation Branch or the Maritime & Coastguard Agency, or both.
- 8.2 A written report must be submitted by the vessel master to the harbourmaster, as soon as practicable after the submission of the verbal report, required by Byelaw 8.1 above. The written report must give the full details of the occurrence, in a form prescribed by the Harbourmaster.



# Information distribution

All clubs organisations and providers are responsible for informing their members or clients of any information relevant to navigation and safety on the Thames Tideway.

This can be done via club notice boards, websites, email and social media.

This information could be any or all of the following issued by the PLA, TRRC, British Rowing or Paddle UK:

- The Tideway Code
- Notices to Mariners (NtMs)
- Safety bulletins
- Ebb tide flag warnings
- Advice from the Club Safety Advisor/Officer
- Advice from your sport's governing body

For details about the responsibilities of visiting, non-Tideway coxes, steers and coaches, see p.49.



The TRRC is one of 10 regional councils whose representatives sit on British Rowing's National Committees. It is responsible for the resourcing and development of rowing in the Thames region including safety and navigation on the Tideway, the busiest rowing river in the country. The TRRC also provides a link/buffer between clubs and the PLA via the Regional Rowing Safety Advisor (RRSA).

# → Rowing clubs' responsibilities

#### **Authorised Steers Accreditation**

The PLA require all Tideway clubs to have an **Authorised Steers Accreditation System** in place. Any coach, cox or steers must have completed an appropriate steering and navigation test to prove their understanding and knowledge of the Tideway Code.

For accreditation, they must prove their competence to steer and show an understanding that the Tideway is often fast flowing with strong tidal sets.

Accreditation must be given by a suitably qualified person and clubs must keep an up-to-date record of accredited steers.

More information about club steers accreditation can be found on the TRRC website thames-rrc.co.uk

#### **Rowing Safety Advisor**

#### All clubs must have a nominated Rowing Safety Advisor (RSA)

The RSA's role it is to advise the club committee and captaincy on all aspects of water safety and pass on topical advice in a suitable and timely manor. However, it is ultimately the responsibility of the club Captain and other club officers to ensure that any advice and club policies are implemented and adhered to.



#### → Paddle UK

Paddle UK is the National Governing Body (NGB) for paddlesport. It is responsible for setting the overall framework for National Associations: representing paddlesport interests such as instruction, coaching, leadership and safety in the UK. Paddle UK formulates standards for the operation of paddlesport activity and training programmes with certification for Stand Up Paddleboarding, Kayaking, Canoeing, Bellboats and Rafting. For full details on qualifications and awards visit britishcanoeingawarding.org.uk

# Responsibilities of clubs, organisations and paddlesport providers

All such responsible groups should meet the Paddle UK Standards for Deployment, this includes the requirements for qualifications, training, safeguarding and safety. Those offering paddlesport activity should also have measures in place for:

- Generic and site-specific risk assessments
- Standard operating procedures
- Up-to-date Health and Safety policies
- Appointing and deploying the appropriate Instructor, Coach or Leader
- Having an appointed Safety Officer
- Other conditions required for affiliation to Paddle UK or if operating as a commercial provider (see panel, right)

#### Experience (also p. 43)

Paddle UK Clubs, Delivery Partners and Providers should follow the guidance within page 41 of this document when operating on the Tideway. Any decisions of appropriate experience should also take into account the level of competence of paddlers within the group, the leader as well as the section of Tideway being used and the excepted conditions.

# Commercial providers

Any club, individual or company which offers paid 'tour quide' style trips on the tidal Thames requires permission from the PLA Harbourmaster.

Detailed Passage Plans, Risk Assessments and Safety Management Systems are required for operations such as this and these need to be approved by the PLA. Kayaks, canoes and standup paddleboards used for commercial trips must also be licensed by the PLA.

A leader of any such commercial outfit is required to hold a Thames Local **Knowledge Endorsement** (LKE) when operating between Putney and Margaretness.

More details on the LKE can be found on the PLA website or by contacting the Harbourmaster (p.130).



## Master of the vessel

In the context of international and local regulations, the steers (paddler, coxswain or steers person) is deemed to be the "Master of the Vessel".

As such, the steers are legally responsible for the navigation, safety and behaviour of the crew. This applies to all steers (including those under the age of 18) even where accompanied by a coach or group leader.

Therefore, all steers should be suitably authorised by their club or organisation to take a boat afloat:

→ p.40



New steers gaining experience must be accompanied by a suitably authorised/qualified [rowing] coach or [paddling] group leader until they have completed their authorisation.

Master of the Vessel also applies to coaching launches, where the driver must also hold the appropriate authorisation and endorsements.

# Personal responsibility

Individual rowing crew members or paddlers are responsible for checking the boats that they are about to go afloat in, their clothing and equipment and also for assessing the environmental conditions plus their own ability and experience.

They should understand this Code of Practice and be familiar with rules, regulations and emergency procedures set out by their club, organisation or provider.

Rowers should be able to swim or wear a suitable PFD if not



Paddlers should be able to swim and must wear a suitable PFD

# **→** Paddle Group Leaders' responsibilities

As mentioned in other parts of this Code, it's advisable to paddle in groups on the tidal Thames. Groups should appoint a person to 'take charge' and take an active role to maintain the size, shape, position and route of the group in line with the guidance in this Code.

Whilst individuals are ultimately responsible for themselves, leaders are put into a position of trust by the other group members, so they have a duty of care to ensure their experience and 'local knowledge' are sufficient to be able to make the right decisions and dynamically risk assess the trip. Leaders are encouraged to have gained a Paddle UK Coach or Leadership Award in their specific discipline.

SUP group leaders should have gained their Paddle UK Paddle Sport Leader in addition to SUP Safer Thames Tideway qualification before taking groups afloat (see table on p.43).

It is recommended that group leaders hold a First Aid qualification.





# → Paddling qualifications: experience and restrictions

All paddlers on the tidal Thames should have a thorough knowledge of Tideway Code All commercial paddle sport leaders must have a LKE to operate on the Tideway (p. 41)

Avec encellis	STAND UP PADDLEBOARDING			
Area specific (see Directions pages) Restrictions	No Paddle UK training	SUP Safer Thames Tideway Paddle UK trained	Paddle Sport Leader + SUP Safer Thames Tideway Paddle UK trained	ALL OTHER PADDLE SPORTS
Above Putney (pages 76–99)	Recommended: beginners undertake Paddle UK SUP Safer training or are accompanied by a Paddle UK qualified/experienced instructor that has Thames Tideway experience Not at night	Previous paddling experience on Moderate Waters† is recommended No further guidance	Lead a group of SUPs who have no Paddle UK training at a recommended ratio of 5:1 Not at night if no Paddle UK training	Previous paddling experience* on Moderate Waters† is recommended
Below Putney (pages 100–109) No SUP 3hours before & 2hours after high water at London Bridge Must carry VHF radio & mobile phone on their person	Recommended: to have a minimum of 5 previous Upper Tideway outings and be part of a qualified/ experienced leader led group in a recommended ratio of 3:1 Not at night or solo	As part of an instructor led group. Recommended ratio of 4:1 (SUP Safer Thames Tideway trained) Day or night Groups allowed if trained to SUP Safer Thames Tideway standard	Lead a group with SUP Safer Thames Tideway training and relevant experience on Moderate Waters† as per Paddle UK Recommended ratio 4:1 Day or night	Previous paddling experience* on Moderate Waters† is recommended Be guided by the Paddle UK Coaching and Leadership Awards and Personal Performance Awards in determining the required levels of ability, experience and equipment
Below Chelsea Bridge (pages 110–125) No SUP between Good Friday & September 30 <sup>th</sup>	No SUP	Only as part of a group led by a Paddle UK trained commercially licensed SUP leader	Only as part of a group led by a Paddle UK trained commercially licensed SUP leader	
1100–1800  Must carry VHF radio & mobile phone on their person		Not at night or solo	Not at night or solo	*Contact Paddle UK for details of courses †Moderate Waters:
Below Tower Bridge	SUP is not permitted below Tower Bridge			as defined by the Paddle UK guidelines



#### Port of London Act 1968 (as amended) – Section 108 General rules for navigation A master who navigates his vessel on the Thames:

- (a) without due care and attention; or
- (b) in a manner liable to injure or endanger persons, other vessels, the banks of the Thames (whether above or below mean high water level) or any structure or installation in or beside the Thames;

shall be guilty of an offence and liable to a fine not exceeding [the statutory maximum and on conviction on indictment to a fine].

The statutory maximum fine at time of publication (2024) is £5.000.

# → Rowing Coaches' responsibilities

The following applies to all rowing coaches, whether they are professionals or volunteers:

- Coaches must wear a suitable life jacket and use a kill cord at all times when afloat in a launch (pp. 22–25)
- Coaches must be steers accredited at the highest level and have a thorough knowledge of this Tideway Code (p. 42)
- Coaches must make a full risk assessment of equipment and conditions before they allow their crews to boat. Part of that risk assessment must be to determine the suitability of those who are under 18 or inexperienced, to act as Master of the Vessel (p.42)
- Coaches of junior/novice crews, steers and coxes have a significant responsibility for the safe actions of the crews under their instruction
- Coaches of junior crews, steers and coxes are perceived as acting 'in loco parentis'
- As well as coaching technique, it is a coach's responsibility to teach the principles, knowledge and skills of navigation to their crews and steers
- Coaches should never overrule a steers' correct navigation for the sake of any work or exercises
- Coaches must always show concern for other river users, causing minimum wash and not obstructing their safe passage (p. 46)
- Coaches must not use a megaphone before 07.00 hrs (p. 50)
- It is recommended that coaches hold a First Aid qualification

# **Tideway Coaching Endorsement**

The PLA consider that it is reasonable and appropriate for **professional rowing coaches to be registered** in the same way as all other professionals working on an increasingly busy Tideway, particularly above Putney.

This is achieved through the Tideway Coaching Endorsement Scheme, which has two basic aims:

- · to raise the quality of the coaching on the Tideway;
- to ensure that everyone coaching on the Tideway understands the same basic standards of safety and navigation

#### **Professional rowing coaches**

The Tideway Coaching Endorsement Scheme currently applies to anyone who:

- Is employed as a coach and drives a launch as part of that employment, whether full or part-time
- Drives a launch when coaching as part of their activities as a teacher, even if not specifically employed as a coach, but as part of their teaching activities

#### **Volunteer rowing coaches**

- There is currently no requirement for volunteer coaches to have the endorsement but it is recommended
- Volunteer coaches should have suitable instruction in launch driving and the RYA Level 2 Costal Powerboat qualification is preferred

# The Tideway Coaching Endorsement Scheme requires the following conditions to be met:

- RYA Level 2 Coastal Powerboat qualification
- The highest level of steers accreditation within their club.
- Evidence of knowledge and experience of the Tideway which is vouched for by a senior and suitably qualified member of their, or another, club.

Endorsement is not club-specific, but applies to the coach, who can carry that endorsement with them if they move to another club or work between clubs.

A register is kept of endorsed coaches and the PLA has right of access to this register to check whether a coach involved in an incident is endorsed.

The endorsement can be rescinded if acceptable standards are not maintained.

More information about the endorsement scheme and how to apply can be found on Thames Regional Rowing Council's website <a href="mailto:thames-rrc.co.uk">thames-rrc.co.uk</a>



# Coaching Launches

#### Launch positioning

A coach's first priority is the safe navigation of their launch and not the crew being coached. If alone, a coach must maintain full control and keep a proper lookout at all times (p. 54).

Coaches should always behave with consideration for other craft especially with levels of wash. For further information on Launch Etiquette, please see thames-rrc.co.uk

Launches should not operate in the Inshore Zone unless directly coaching a crew. For crews in the Inshore Zone coaches must either:

Be in-line astern with their crew so as to not obstruct the channel for other users by being positioned abreast of their crew, otherwise...

Be on the opposite side of the river to their crew

Coaches should generally position their launch to the 'outside' of their crew to help encourage the rowing boat to stay on the correct line

Avoid positioning the launch to the 'inside' of the crew


#### Speed limits

Rowing coaching launches have a special dispensation from the PLA to exceed the speed limit but only when directly coaching a crew.

At all other times coaching launches are limited to 8knots and should navigate to the starboard side of the channel

The speed limit applies if a coach becomes separated from their crew and they must not exceed 8knots when attempting to catch-up with a crew.

Similarly coaches must proceed with extreme caution and within the speed limit behind aits.



#### Launches

#### Passengers and wash

Launches should not exceed their maximum load capacity. In most coaching launches this is usually two people, although launches may be wash-tested by the PLA and approved for carrying more than two people.

Coaching launches carrying more than **two people**, must remain below the speed limit at all times, even if they have been wash tested, to avoid creating excessive wash.

Contact the PLA (p. 128) for more details regarding wash testing.

Note: A 'tin-fish' style coaching launch should not be considered a 'rescue' vessel. Cases of coaches 'going to the rescue' only to add to the problem due to the unsuitability of their launch are not uncommon.

Coaches should always carry the means to summon appropriate emergency assistance (p. 37).

# Port of London Thames Byelaws 2012 - Byelaw 16 **Speed Limits**

- 16.1 The master of a power-driven vessel navigating in a part of the Thames to which this byelaw applies must ensure that it does not exceed a speed of 8 knots through, on or over the water, provided that this byelaw does not apply:
  - (b) where a vessel, having for the purpose of this byelaw been approved by a harbourmaster as one which may exceed a speed of 8 knots through the water, is engaged in escorting a rowing boat in training;
  - (d) where the vessel has been approved by the harbourmaster to exceed a speed of 8 knots through the water, in connection with a river event that is subject to the requirements of byelaw 9, and if it does so in accordance with such approval.
- 16.2 The parts of the Thames to which byelaw 16.1 applies are
  - (a) the Thames above Wandsworth Bridge;
- (b-g) All creeks below Tower Bridge
- 16.3 The master of a power-driven vessel navigating between Wandsworth Bridge and Margaretness Limit must ensure that it does not exceed a speed of 12 knots through, on or over the water, provided that this byelaw does not apply: if the vessel falls within the exceptions described in byelaw 16.1 a), or

where a vessel, having for the purpose of this byelaw been approved by the harbourmaster as one which may exceed a speed of 12 knots through the water, is engaged in:

- escorting a rowing boat in training;
- escorting a boat race or regatta.



#### Port of London Thames Byelaws 2012 - Byelaw 9 Boat races, regattas, processions and other river events

- 9.1 A person must not organise or promote [a boat race, regatta, stunt, procession, exhibition, firework display, air race or other river event] on or over the Thames except with the consent of the harbourmaster.
- 9.2 Any person who proposes to organise [an event) on or over the Thames, must consult with the harbourmaster on the navigational and safety issues arising from the proposed event and give the harbourmaster at least four weeks' notice of the proposed event.
- 9.3 Every person navigating a vessel in or in connection with such an event must comply with the instructions of a harbourmaster relating to it.
- 9.4 Any person who proposes to organise or promote [an event] must provide to the harbourmaster the findings of any comprehensive risk assessment requested as a result of the consultation under byelaw 9.2 in respect of the event in question. The risk assessment must identify the relevant hazards and any suitable procedures, precautions and other risk control measures to be implemented to ensure any risk to persons or navigational safety or both is mitigated and maintained as low as reasonably practicable.

# **Events' responsibilities**

An 'event' is classed as use of the river for anything other than normal training or recreational purposes. This includes Head races, regattas, private matches, mass paddles (30+ paddlers), races, stunts or anything with media interest. The event organiser must seek consent from the Harbourmaster as far in advance as possible and at least four weeks beforehand.

Any event that involves more than 99 boats on the water at any one time, or if the Harbourmaster deems it necessary, would normally require a full river closure, which requires a Notice to Mariners (NtM) and a minimum of four week's notice.

#### The organiser must provide:

- A risk assessment and event plan
- Proof of public liability insurance
- A Letter of Consent from the Harbourmaster containing an indemnity for the PLA against any costs or claims arising as a result of the event
- Details of any boats involved in the event working for hire or reward
- Information on how to access the Tideway Code for visiting non-Tideway clubs

Event organisers should inform London VTS that the event is about to start and again once the event has finished.

The environmental impact of an event must also be considered (pp. 50-51).



### **Events documentation**

An event can only run upon production of a satisfactory safety plan and risk assessment for the event to the relevant Authority (PLA/Regional Safety Adviser/Paddle UK). The published event date is only provisional and the event will not be sanctioned to take place unless the requirements of these documents are satisfied and a Competition Safety Checklist completed.

The preferred timetable is listed below.

#### 3 months prior to the event:

- Event Safety Advisor appointed
- · Drafts/updates of safety documentation
- · Advice and input to event organisation committee

#### 2 months prior to the event:

- · Event Safety Advisor consults with the Authority for validation
- · Authority advises on "self-certification" or "full documentation"
- Documentation finalised by Event Safety Advisor

#### 1 month minimum prior to the event:

- Documentation sent to the Authority
- · Self-certification completed and returned to the Authority

#### 3 weeks prior to the event:

- The Authority confirms receipt of documentation
- · Clearance for event to run

For further information regarding running events on the Tideway visit pla.co.uk/event-organiser-guide or thames-rrc.co.uk

# Visiting the Tideway

Non-Tideway clubs visiting the Tideway for racing and training do not have to have a steers accreditation system – but it is recommended for regular visitors to the Tideway.


Visiting clubs must therefore ensure that their coxes, steers and coaches are fully conversant with the Tideway Code before going afloat. It is the visiting club's responsibility to seek advice from their hosts, the event organisers or the TRRC if they are unsure.

Tideway clubs that host visiting clubs for training outings or provide boating for Tideway Head races are expected to provide basic advice on Tideway navigation to their visitors if requested.

Ignorance of the Tideway Code is not an acceptable defence in the event of an incident and the same sanctions will be applied to visitors.







#### Pollution and health

#### Litter: Bin it. for a cleaner Thames!

Do not drop litter in the river, or leave it where it will be taken or blown back into the river. Plastics have been found in Thames fish species, due to their consumption of litter mixed with their food on the riverbed.

If organising an event, where litter is likely to collect with spectators, plan your event to minimise the litter generated and ensure event-specific items like flags or banners are secured. Plan to review the area following the event to prevent any litter ending up in the river.

#### Water pollution

If you see any pollution of the river, please report it to the relevant London VTS Channel by phone or VHF (Channel 14). Take photos if possible, but do not take samples and keep a distance as the pollutant may also be damaging to health. After heavy or prolonged rainfall, screened sewage is released into the river from combined sewage outfalls (usually at the top of the tide). Avoid boating in or near those events as far as possible.

#### Noise pollution

Be considerate towards those who live on and near the river. Please avoid inappropriate language, playing loud music or shouting. Cox boxes and megaphones must be used at the minimum effective volume.

Megaphones must not be used before 07.00 - Failure to comply with this may result in compliance action (including fines) by the Port Health Authority.

#### Health

Be aware of the risk of Weil's disease which is spread by rodents' urine. All cuts and grazes should be covered before going afloat. If a bleeding wound occurs during an outing, wash it thoroughly as soon as you return and treat it as an infection risk. Always wash your hands after an outing and before eating. If you become ill after being on the river, seek medical advice immediately.

### **Environmental responsibilities**

#### **Environment**

Make every effort to be considerate to the river environment, including the foreshore. Take care not to disturb wildlife or damage habitat while on the water and avoid approaching seals on the banks of the river. pla.co.uk/get-involved

#### Invasive non-native species (INNS) and bio-security

Take steps to minimise the risk or prevent the movement of invasive non-native species which can be introduced and spread by all waterway users, often unknowingly via contaminated equipment and clothing left in damp conditions. Visitors should check their gear is clean before bringing it to the Thames from other waterways to prevent Invasive non-native species contamination. Please remember:



**Check** your equipment and clothing for live organisms, plant fragments, etc, particularly in areas that are damp or hard to inspect.

**Clean** and wash all equipment, footwear and clothing thoroughly. Boats, blades and paddles should be rinsed down with a hosepipe after every outing.

Soaking small items of kit at 45°C for 15 minutes has been show to have caused a 99% mortality rate across all species. If you do find any organisms, leave them at the body of water in which they were found.

**Dry** all equipment and clothing including PFDs. Some species can live for up to 16 days in moist conditions.

### **Further reading**



**PLA (Environment)** 



Paddle UK



Thames 21



RYA (Green Blue)



**RNLI** (Kayaking)




**British Rowing** 

Paddle UK print publication: You, your canoe and the marine environment



Below Teddington Lock, the tidal Thames is classed as an international seaway. Because of this Port and Startboard are the conventions used to describe navigation, rather than left and right. They are always used in the vessel's direction of travel.



In the dark, motor vessels will display a [forward facing] red light on their Port side and a green light to Starboard.

### Port and Starboard


Port and Starboard are not terms generally used by rowing crews in the UK, but it is important that rowers and in particular steers, understand this terminology, which is used throughout this Code.

In coxless boats the steers is facing backwards which is why using left and right is avoided as it can easily cause confusion.

It helps that most oars are marked with red tape - strokeside/port and green tape - bowside/starboard.

# PORT - STROKESIDE **DIRECTION OF TRAVEL** STERN BOW STARBOARD - BOWSIDE

Direction of travel



Direction of travel

### Accessing the river

River access for paddled boats is considered safest from a draw dock, slipway or foreshore as these provide a firmer footing. There are often eddies or sheltered areas of slack water around such areas which can be utilised. Avoid obstructing the tow path with boats when waiting to go afloat or returning.

Take care not to damage any rudders or skegs the boat may have - it may be best to enter the river stern first, with caution.

- SUP should remain on knees until comfortable or in a safe area
- Be aware of the slipping hazard especially on steps or ramps
- Know which way the tidal stream is flowing (see panel right) and ensure there are no obstructions downstream of the launch site
- Lookout for other traffic before entering the main flow of the river and be aware of wash
- When getting novices afloat, make sure there are experienced paddlers already afloat to accompany/manage them

Getting off the river two hours either side of high tide can be difficult, as there is little or no foreshore exposed and in places there are few egress points. There are a fair number of draw docks above Putney Bridge but very few below. Pontoons and piers are privately owned and should only be used to exit with permission or in an emergency. Location of recommended access and egress points should always be included in the outing plan, which should be guided by the club's procedures. Access points can be found on the interactive map available at activethames.co.uk/thames-map as well as on the 'Recreational Users Guide' or PLA charts. Principal draw docks are also noted in the Tideway direction section diagrams (from p. 76).

# Going afloat

When boating on the Tideway, always have the bows pointing into the tidal stream

Be aware that the tidal stream will try to pull the bows out (very quickly sometimes) and the crew will actively have to prevent this.



If the boat does accidentally get pulled round by the stream it might be safer to go with the unplanned turn than to try and fight against it.

Ensure a good lookout is maintained and do not push off in front of other boats. Also be very aware of wash and of water being drawn-off the foreshore by passing motor vessels.



# Col Reg Rule 5 Lookout

Every vessel shall at all times maintain a proper lookout by sight as well as by hearing as well as by all available means appropriate in the prevailing circumstances and conditions so as to make a full appraisal of the situation and of the risk of collision.



# Lookout

Keeping a proper lookout is the single most essential feature of safe navigation – on any part of the river

Failure to keep a proper lookout is, by some margin, the biggest contributory factor in collisions and near-misses, both with other vessels and with fixed objects in the river.

Listening for other boats, shouted warnings, sound signals and VHF transmissions from larger vessels are all considered an important part of the lookout process. This is known as *Lookout by Hearing* (pp.56–57).

Always when in heavy traffic, reduced visibility, at the turn of the tide or navigating in the vicinity of bridges, piers, etc. a more proactive lookout should be employed – *every stroke if necessary*.

Lookout also applies to larger vessels of course but small boats should note that just because they can easily see a larger vessel, it is not necessarily the case that the larger vessel can see them, especially if both craft are in close proximity (see graphic below). Small boats should make themselves as visible as possible and should never assume that they have been seen.



# **Lookout** → **Rowing boats**

#### Coxless

A coxless four travelling with the tidal stream could travel as far as 100m in five strokes. Steers should check over their shoulders, alternating sides, every five strokes (or more often). In busier situations or in reduced visibility a check every three strokes (or more often) is recommended.

#### Coxed

The cox's first priority is the safe navigation of the boat and not the best, quickest or racing line. A cox's vision dead ahead is restricted by the crew so they should also try to check this whenever possible.

#### Coaches

A coach's first priority is the safe navigation of their launch and not the crew being coached. Coaches must not impede other river users (pp. 46–47).

Note: use of a camera or phone to video rowing crews is strictly forbidden if the coach is alone and thus responsible for steering the launch. It is impossible to simultaneously keep a good lookout and video another boat – so don't do it!

This practice is extremely dangerous and considered a serious contravention which will necessitate intervention by the authorities. GoPro or fixed camera equipment which require no activation may be a sensible alternative when coaching alone.

### **Lookout** — Paddled boats

Paddlers face in the direction of travel so can easily see oncoming hazards but they must also be very aware of quicker vessels that may be approaching from behind.

For paddlers it may be that the biggest risk is as likely to come from behind them as from in front.

It is therefore essential that paddlers also check behind them at frequent intervals. It is recommended that paddle groups have one or two experienced paddlers at the rear of each group whose specific role it is to keep a lookout behind. This includes being aware of wash from behind or reflected off walls which can cause irregular wave patterns.

Some motor vessels can be easily heard and may even give a sound signal on their horn. Electric motor vessels are quieter and should make use of their horn.

Rowing boats however are much smaller and quieter and very often the steers person is facing away from their direction of travel (p.10). Rowers will often make their presence known by means of a shouted warning (p.56).



### **Lookout: shouted warnings (calling)**

If it is felt that a risk of collision is developing do not assume that the other boat is aware of it. so call-out in good time to warn them. Calls may need repeating, perhaps several times, before they are effective. The conventional calls for rowers and paddlers are:

- "Take a look" potential risk of collision
- "Look ahead" imminent risk of collision
- "Hold it up" precautionary stop
- "Hold it hard!" emergency stop
- "Stop, stop, stop!" emergency stop

Any of these warnings can be made more specific by also calling the type/class of boat. For example: "Ahead four" or "Canoe, take a look".

When hearing such a call in their vicinity all steers should take a good look, including behind, to ascertain whether it pertains to them or not.

Calling other boats is particularly important where paddlers are sharing the river with rowers. Calling is common (and indeed good practice) amongst rowers and paddlers should not be inhibited about doing the same. It is better to assume that other boats have not seen you than to leave your call until it is too late.

Coaches are often in a better position to lookout and should also take responsibility for shouting warnings where appropriate. A coach's call is often more effective since they usually carry a megaphone.

### **Lookout: sound signals**


Motor vessels, especially the larger commercial and passenger vessels are much more likely to use sound signals than they are to shout. Therefore small boat crews must be aware of the meaning of sound signals. usually given via a horn or whistle:


- Above Putnev sound signals are most likely to be used by Class V passenger vessels
- Below Putney use of sound signals will be very common amongst the busy commercial traffic
- Emergency vessels such as the lifeboat and police will use their siren





In addition to sound signals, paddlers are advised to carry VHF radio and keep a listening watch on Channel 14. Paddlers should attach a whistle to their PFD, for attracting attention in an emergency


The most important sound signals for small boat crews to remember are as follows:


















# **Collision Regulations (Col Regs)**



As the Thames Tideway is directly connected to the sea the applicable navigation rules are:

The International Regulations for Preventing Collisions at Sea

They are more generally referred to as **Col Regs.** 

Col Reg (Rule 9a) essentially states that all vessels should navigate to the starboard side of any channel, so as to pass port-to-port.

Effectively the river could be said to be divided into three (unmarked) channels, with a deeper central channel called the **Fairway** and two narrower channels either side called **Inshore Zones**.

All along the tidal Thames, it is vital that steers keep both a good lookout and navigate on the starboard side of the river (or Fairway). Observe where the main river traffic flows are (particularly motor vessels) and position yourself where you can be seen by them.

The navigation rules only differ from Col Regs in the two sections of the Tideway where small boats are allowed to work the slacks against the tide. These Tideway Code Areas are detailed on pages 62–63. The only real difference with regards to navigation is how the Inshore Zones are used by small boats in transit.

# **Rights of Way**

With regard to the rules of the river, both rowing and paddled boats are considered to be powered vessels.

- All vessels in the Fairway have Right of Way (including man-powered boats)
- Boats in the Inshore Zones must give way to boats in the Fairway when crossing, overtaking or turning
- Small boats must give way to larger motor vessels in the Fairway – even if that vessel appears not to be on the starboard side. In a narrow Fairway larger vessels may be restricted by their draught due to the available depth and width of the Fairway. This restricted channel in turn limits large vessels' ability to deviate very far from their course
- Small boats are also generally much more manoeuvrable than most larger vessels and their shallow draught also allows them to use more of the river (see picture right)
- When encountering a larger vessel, don't panic; take a couple of strokes to positively and obviously change direction (preferably to starboard)
- Small boats must give way to sailing boats, unless the sailing boat is crossing the Fairway.

Notwithstanding the above points, all vessels have a duty of care to avoid a collision (Col Regs, Rule 2). More details regarding avoiding collisions can be found on page 74.

For the purposes of Byelaw 27 and Col Reg Rules 9 and 18, rowing and paddled boats must act as power-driven vessels and must keep out of the way of all the types of vessels listed. They must also give priority to vessels such as (but not limited to) Class V Passenger vessels, tugs and tows, large Dutch barges and sailing boats (unless the sailing boat is crossing the fairway).



# Col Reg Rule 9

#### **Narrow Channels**

(a) A vessel proceeding along the course of a narrow channel or Fairway shall keep as near to the outer limit of the channel or Fairway which lies to her starboard side as is safe and practicable.

#### Col Reg Rule 18

# Responsibilities Between Vessels

Except where rules 9, 10 and 13 otherwise require:

18

(d) (i) Any vessel other than a vessel not under command or a vessel restricted in her ability to manoeuvre shall, if the circumstances of the case admit, avoid impeding the safe passage of a vessel constrained by her draught. Port of London Thames Byelaws 2012 – Byelaw 27

Vessels navigating above Cherry Garden Pier (Cherry Garden Pier is downstream of Tower Bridge) and above Westminster Bridge

27.1

A vessel of less than 40m in length navigating above Cherry Garden Pier, and a sailing vessel navigating above Cherry Garden Pier must not impede the passage of:

- (a) a vessel of 40m or more in length; or
- (b) a vessel engaged in towing.

#### 27.2

In addition to their obligations under byelaw 27.1, a vessel of less than 20 metres in length navigating above Westminster Bridge and a sailing vessel navigating above Westminster Bridge must not impede the passage of a vessel of 20 metres or more in length.



# Positioning on the river: Col Regs/the starboard side rule

Along its entire length the tidal Thames can be roughly divided into three channels, which remain in place whether the water level is high or low.

The middle channel\* is the main navigation channel and is called the Fairway. It is a deeper channel for larger boats and is not generally marked. Large vessels have more draught (hull below the waterline) so will usually be nearer the centre of the river, in the Fairway.


The channels either side of the Fairway (i.e. between the Fairway and the banks) are known as Inshore Zones or IZ for short.


**Except in the Tideway Code Areas** (pp.62–63), all small boats are encouraged to navigate outside the Fairway, in their starboard Inshore Zone and as close to the starboard bank as is safe and practicable – at all times. That is because paddled boats have minimal draught and are able to use the shallow water outside the Fairway.

All boats going in opposite directions should normally pass port-to-port.

Note\* In places along the tidal Thames the Fairway is not always in the centre of the river. Notable examples of this above Putney are at Chiswick Bridge, Corney reach and Barn Elms reach.

In these examples, large vessels can appear to be in the 'wrong' place on the river, or manoeuvring through bridge arches, especially at lower tides. At such times, small boats should always give way (since they have less draught) and should show their intentions early and clearly.





# Positioning on the river: working the slacks

On the Thames Tideway there are only two areas where working the slacks is permitted. They are known as the **Tideway Code Areas** (pp.62-63).

**Upper Tideway Code Area** is between Syon reach and Putney Pier. Both rowers and paddlers are obliged to work the slacks against the tide.


**Lower Tideway Code Area** is between Cherry Garden Pier and Royal Wharf Pier. Only rowers are obliged to work the slacks against the tide.

Within these Tideway Code Areas, small boats working the slacks when going *against* the tidal stream *must* use the Inshore Zones. When using the Inshore Zone, small boats should be positioned as close to the bank as safe and practicable, however high the water is.

Within the Tideway Code Areas, think of the Fairway as a river within a river. Small boats going with the tidal stream should not use the Inshore Zones.

Instead, when going with the tidal stream all small boats must be in the Fairway and positioned on the starboard side, as per Col Regs (Rule 9a).


# Within both Tideway Code Areas the Inshore Zone is *only* used when going *against* the tidal stream



In the busier Upper Tideway Code Area the edges of the Fairway are occasionally marked with buoys in important areas (and at Crossing Zone, p. 64).


- Green buoys are always on the Middlesex or north edge of the Fairway.
- Red buoys are always on the Surrey or south edge of the Fairway.





Note how the faster water is round the outside of the bends. Therefore small boats working the slacks on the inside of the bends must change sides to remain in the easier water. This only applies when travelling against the tidal stream, whichever direction that is flowing.

In the **Upper Tideway Code Area** there are four designated Crossing Zones (p.64) which are defined by buoys – except at Putney (p.92). Additionally there are yellow marker boards on the shore that may be visible at lower water.



In the Lower Tideway Code Area there are four designated Crossing Zones (p.64) which are defined by landmarks. See Lower Tideway directions diagrams for details (from p.112).

Additional Local Crossings existing in both Code areas to allow crews to cross the Fairway in order to access boathouses on the opposite bank from the Inshore Zone. Local crossings must only be used for this purpose and are not for general navigation.



Port of London Thames Byelaws 2012 - Byelaw 24

**Modifications of** the International **Regulations for Preventing Collisions** at Sea (Col Regs) -Crossing

(a) a vessel must not cross or enter a Fairway so as to obstruct another vessel proceeding along the fairway.

For the purposes of this rule rowing and paddled boats must act as powerdriven vessels.



How not to do it!


# **Crossing the river: Tideway Code Areas**

Within the Tideway Code Areas (see previous page), where small boats are obliged to work the slacks, they are also obliged to cross the Fairway when the Inshore Zone switches to the inside of a bend on the other side of the river

Crossing between Inshore Zones should be done at designated Crossing Zones. In the Lower Tideway Code Area, Crossing Zones are defined by landmarks only (from p. 112). In the Upper Tideway Code Area they are defined by buoys (plus yellow marker boards on the bank - from p. 84).

The rules for crossing in the Tideway Code Areas are basically the same as for elsewhere on the river (see opposite) except that boats working the slacks must cross at a designated Crossing Zone.

In addition, there are Local Crossings where crossing the Fairway is permitted for crews navigating between the Inshore Zone and their boathouse on the opposite bank. Local crossings are defined by their proximity to the boathouses they serve and crews using them must give way to all other vessels in the Fairway and not block the Inshore Zone if waiting to cross.




# **Crossing the river: Col Regs**

At some point boats in the starboard Inshore Zone will have to cross the Fairway in order to commence their return journey in the opposite Inshore Zone.

Beyond **keeping a good lookout**, always consider the following in order to effect a safe crossing:

- Any boats in the Fairway have Right of Way.
   Do not cross in front of oncoming traffic and be prepared to have to wait if necessary
- Crossing should only take place if the Fairway is completely clear of traffic
- Cross where vessels can clearly see each other.
   Any intention to cross the river and the crossing itself should be made clear and obvious to other river users

- Never cross near a bridge or other large obstruction (i.e. within 75m).
- Groups should not cross the Fairway strung-out, they should instead cross in close formation or one at a time
- Crossing should take place as quickly as is safely possible and by the shortest possible route
- 4 Be aware the tidal stream which will push boats sideways as they cross
- Boats may turn into and out of the Fairway at any point except at Crossing Zones and near bridges or other large obstructions where lookout is restricted. (See p.69 for more details about turning.)





#### Port of London Thames Byelaws 2012 - Rule 36 **Bridges**

- 36.1 When the arch or span of a bridge is closed to navigation, the person in control of the bridge must display at or as close to the centre as practicable of that arch or span, or in a position agreed with the harbourmaster:
- (a) by day, three red discs 0.6 metres in diameter at the points of an equilateral triangle with the apex downwards and the base horizontal; and
- (b) by night, three red lights in similar positions to the discs displayed by day.

## **Bridges**

The tidal Thames has 29 bridges over the main river between Teddington Lock and Tower Bridge. The height and width of bridges are of little concern to small boats, unless where shallows occur at low tide, under the inshore arches closest to the banks. For specific details, see the Tideway directions (from p. 76).

Always keep an especially good lookout around bridges, piers, buoys and moorings. The visibility of small boats can be very easily obstructed by bridge buttresses and piers where large vessels can very limited in their ability to manoeuvre. Small boats should avoid larger vessels close to a bridge and should avoid navigating close-in to them, particularly through Central London.

#### Small boats should keep well clear of all bridges except when transiting:


- Unless working the slacks in the Upper Area or otherwise directed, always use the first available arch which is furthest to starboard (nearest the bank)
- Do not stop under or near (<75m) of a bridge</li>
   unless in an emergency or going ashore at a boathouse/drawdock.
- Do not cross, turn, overtake or paddle abreast under or near (<75m) a bridge</li>
- Do not baulk (obstruct) faster or larger vessels under or near (<75m) a bridge</li>

#### Bridge arch numbering and marking

Arches (that span the river) are numbered from the north bank starting with Arch #1. Above Putney, rowers traditionally use 'Middlesex' for the northern-most arch and 'Surrey' for the southern-most arch.

- The Fairway is marked with two amber lights above the arch
- White Isophase signal lights (4 seconds of very quick flashes) indicate a large vessel approaching or using the arch. These vessels have Right of Way so do not impede their passage while they transit the indicated arch
- Closed arches are marked with an inverted triangle of three red lights or disks.

  Closures are announced via an NtM. Never navigate through a closed arch



# Piers, buoys and moorings

Similar dangers to bridges are also presented by the many piers, buoys and moorings along the Tideway. Small boats should apply the same precautions for bridges, to all similarly large obstacles and to the vessels manoeuvring around them.

Specific exceptions to the following points regarding navigating bridges, piers and moorings are detailed in the Tideway directions sections (from p. 76).


Groups should remain tightly spaced rather than spread out in a long line. A compact group is easier for larger vessels to see than a line of small boats.

- Whenever possible or appropriate small boats are advised to navigate behind (or under) a pier. This is mostly to avoid the passenger vessels and work boats that are using the outside of the pier
- **Whenever possible or appropriate** small boats should navigate on the starboard/inshore side of any moorings positioned on the edge of the fairway
- The current flows much faster around bridges and piers, drawing small boats towards them and affecting the steers ability to control their boat
- Small boats should also be aware of the dangers of being pushed onto any man-made obstructions by the tidal stream. Once trapped on the upstream side of a fixed obstruction, it can be almost impossible to get free and there is a real risk of being pushed under by the force of the water



# Stopping (aka easy-ing)

# In the Inshore Zones – against the tidal stream



No stopping in the vicinity of Crossing Zones – unless waiting down-stream in the Inshore Zone for the Fairway to clear before crossing

No stopping abreast of navigation buoys (Upper Area only) especially at low water

# In the Fairway – with the tidal stream

Stop as close as possible to the starboard edge of the Fairway. If it will not obstruct oncoming traffic or increase risk of collision, pull out of the Fairway entirely

No stopping in the vicinity of Crossing Zones

Do not stop in front of or baulk any vessels. Large power-driven vessels proceeding with the tidal stream are severely limited in their ability to stop


# In both the Fairway and the Inshore Zones

Do not stop abreast (along-side) of any other vessels including coaching launches. Groups should always stop in line astern

Coaches wishing to talk to a stationary crew must ensure their launch is not blocking the channel and should move out of the way of approaching vessels

Do not stop close (<75m) to or underneath any bridge or pier

Avoid stopping close-upstream of fixed, man-made objects so as to not be swept onto them by the tidal stream



# **Turning (aka spinning)**

Boats should never 'spin' on the spot. Turning should always involve moving into another channel.

#### **Turning out of the Fairway**

When turning into the Inshore Zone from the Fairway, ensure that there is enough space and that other vessels are not impeded. Boats already in the Inshore Zone have Right of Way.

Note: In this case, steers may briefly move over to the port side of the Fairway if they immediately turn out of the Fairway and into the Inshore Zone – but only if it is clear to do so. Otherwise boats must wait on the starboard side of the Fairway until both the Fairway and Inshore Zone are clear.

#### **Turning into the Fairway**

When turning into the Fairway from the Inshore Zone wait until the Fairway is clear and then turn out of the Inshore Zone and onto the correct (starboard) side of the Fairway.

#### Other considerations

If a turn also involves crossing the Fairway see the rules for crossing the river (pp. 64–65).




Do not turn close (<75m) to a bridge or at points where the lookout is similarly obstructed



Do not turn in a Crossing Zone. Turn either well before or well after the crossing

Avoid turning close-upstream of fixed, man-made objects so as to not be swept onto them by the tidal stream





Port of London Thames Byelaws 2012 – Byelaw 24

Modifications of the International Regulations for Preventing Collisions at Sea (Col Regs)

- (c) a power-driven vessel must not proceed abreast of another power-driven vessel except for the purposes of overtaking that other vessel; and
- (d) a vessel in a fairway above Tilburyness must not overtake a vessel which is itself overtaking another vessel.

For the purposes of this rule rowing and paddled boats must act as power-driven vessels.

# → Proceeding abreast (aka side-by-side)

#### In the Inshore Zone



Rowing boats should **not** proceed abreast (side-by-side) in the Inshore Zone



Rowing boats in the Inshore
Zone should proceed in-line
astern. Particularly important
at low water when the Inshore
Zone can be very narrow

*Note:* The rules for proceeding abreast both in the Fairway and in the Inshore Zone also apply to coaching launches.

#### In the Fairway




A maximum of two rowing boats may proceed abreast in the Fairway but only if there is sufficient room to do so and both boats remain on the starboard side of the Fairway

This is a concession to rowers of Byelaw 24 – do not abuse it!



Two rowing boats may not proceed abreast in the Fairway if they obstruct boats coming in the other direction. They must proceed in-line astern instead





## Paddle group management

Thames Byelaw 24 does not allow boats to proceed abreast (side-by-side) but it is accepted that paddled boats are an exception to this rule as their visibility to other vessels is vastly improved as a group. Group formation also allows for easier communication.


However, it is important that paddle groups stay close together and are of a size and formation that does not baulk or impede the safe and correct navigation of other, usually faster, river users, in particular rowing boats.



Group paddling does not give paddlers carte blanche to spread out across the river and groups must always consider the amount of space they take up. The group leader must take responsibility for maintaining a suitable group size and shape in any given situation



As well as the leader, paddle groups should ideally have one or two experienced paddlers at the rear whose specific role it is to keep a lookout behind and inform, direct or control the group as necessary



#### Solo paddling

Paddling alone inherently carries more risk than when paddling in a group, which can rely on safety in numbers both in terms of being seen by other vessels and by having assistance on hand to cope with a problem.

Solo paddling should only be undertaken by paddlers experienced in Tideway navigation and conditions.

Soloists should carry at least one method of communication on their person and to make sure someone knows they are afloat and what their intended plan is, including anticipated return time. That information could be left with London VTS, another club member or a friend.

Every effort should be made to be as visible as possible to other river users by means of hi-vis clothing or lights where necessary.

Solo paddling in the dark is not recommended.



General Directions for Navigation in the Port of London 2011 (as amended) Direction 24

#### **Overtaking Manoeuvres**

 Overtaking manoeuvrings shall only be undertaken so that the vessels involved do not prejudice their ability to navigate safely, particularly in areas of additional constraint such as river bends and bridges.

## Col Reg Rule 13 Overtaking

(a) any vessel overtaking any other shall keep out of the way of the vessel being overtaken.

Port of London Thames Byelaws 2012 - Byelaw 24 Modifications of the International Rules

(d) a vessel in a fairway above Tilburyness must not overtake a vessel which is itself overtaking another vessel.

## **Overtaking**

It is unlikely that paddled boats will be fast enough to overtake other vessels but they may have to go around stationary boats and should follow the same rules as rowing boats:


- The overtaking crew does not have Right of Way. Overtaking shall not take place if it puts the overtaking boat into the path of oncoming traffic if it's not clear then steers must wait
- Overtaking should not take place close to bridges (<75m) or in other areas of restricted visibility or manouvreability
- √ Overtaking should ideally be on the 'outside' (i.e. in the faster tidal stream)
- Boats may 'undertake' if the boat being passed is a long way out of position and it is safe to do so (i.e. not into the Inshore Zone!). Advise the steers of the boat being overtaken on which side you intend to pass. They should maintain course and constant speed as baulking an overtaking vessel is dangerous and not permitted

#### In the Fairway


- A single boat may overtake two boats abreast, only if the Fairway is clear
- Two boats abreast may overtake one boat, only if the Fairway is clear Otherwise one boat must drop back and overtake in single file
- Under no circumstances should two boats abreast overtake two boats abreast

#### In the Inshore Zone


- A boat should not overtake a boat that is itself overtaking another boat only one boat at a time may overtake in the Inshore Zone
- Boats may 'undertake' if the boat being passed is a long way off the bank, thus making an outside overtake hazardous (i.e. into the Fairway)



The overtaking crew does not have Right of Way



The overtaking crew does not have Right of Way





## **Avoiding collisions: head-on situations**

Early avoidance is always the best option. By keeping a good lookout and making obvious course alterations in ample time, collision situations should be avoided.


All boats should try to make their intentions obvious by means of a significant change of direction. If necessary (and there is time), stop and then move-off again on an obviously different course.

Motor vessels may use a sound signal to communicate their intentions and small boats may shout a warning (p. 55).

Because of the relatively slow speed of paddled boats, the most likely danger of collision is, in fact, from faster vessels approaching from behind. In these situations paddlers should ideally steer to starboard and thus leave the passage clear for the faster moving vessel to overtake on their port side – but be aware of boats in the Inshore Zone (IZ)

- When two vessels are on a head-on course and a collision is unavoidable without immediate action, both boats should preferably steer to starboard (and thus pass port-to-port)
- 3 There are times however, when steering to starboard may put boats into the path of other oncoming vessels (in the Inshore Zone for example). In such situations avoiding a collision by whatever action necessary is better than allowing a collision to occur. This does not excuse poor navigation or positioning leading-up to an incident however and all near misses or collisions must be reported (p.38)

After any near miss, boats should always then return immediately and safely to the correct station before continuing.



## Avoiding collisions: the turn of the tide

Navigating on the turn of the tide is notoriously confusing and may lead to collisions or near misses so requires extra consideration.


It is possible for a rowing boat to travel faster than the tidal stream is moving, so when travelling with the tidal stream rowing boats can easily overtake the changing tide.

When travelling against it, boats could easily meet the changing tidal stream as it approaches.

At the point where the tide is turning there is an obvious zone of still water, known as slack water. This slack water zone continually moves at the head of the turning tide and is a good indicator that steers will need to change their navigation pattern from one tidal stream to the other.

See <u>page 12</u> for how to check the tidal stream direction. However if in doubt:

- Navigate on the starboard side of the Fairway until you can be sure of the tide direction
- Observe how other crews are navigating and communicate with them about the state of the tide – it may be different where you are now to where they have just come from
- Only make changes to your navigation pattern once you are completely sure the tide has turned
- Avoid racing or doing pieces when you are unsure of the tide direction
- KEEP A GOOD LOOKOUT



## Col Reg Rule 14

#### **Head-on situation**

- (a) When two power driven vessels are meeting on reciprocal or nearly reciprocal courses so as to involve risk of collision each shall alter her course to starboard so that each shall pass on the port side of the other.
- (c) When a vessel is in any doubt as to whether such a situation exists she shall assume that it does exist and act accordingly.

For the purposes of this regulation, rowing and paddled boats must act as power-driven vessels.

Notwithstanding the above points and other advice on this page, all vessels have a duty of care to avoid a collision (Col Reg, Rule 2).



## **Tideway directions**

The following section of the Code has been split into three Tideway Directions sections, which provide more specific navigational information that pertains to each section of the river, starting at Teddington and working downriver:

#### **Upper Tideway**

- · Teddington to Syon reach buoy.
- · Syon reach buoy to Chiswick Bridge.
- · Chiswick Bridge to Putney Bridge.

#### **Central London**


- Putney Bridge to Chelsea Bridge.
- Chelsea Bridge to Tower Bridge (Heart of London).

#### **Lower Tideway**


- · Tower Bridge to Greenwich.
- · Greenwich to Thames Barrier.

As well as highlighting specific areas of navigational concern to small boats, each section describes the navigation patterns expected of small boats. The Tideway Code Areas in particular also include the direction of the tide, in the order of:

- Ebb tide.
- Flood tide.



# **CENTRAL LONDON Heart of London** (pages 102-111) Chelsea Bridge 8 KNOT **HIGH SPEED ZONE 12 KNOT** Speed limit I (CoC vessels only\*) Speed limit





#### **Reduced upriver depths**

Mariners are reminded that depths in the upper reaches of the tidal Thames are greatly affected over the low water period by the amount of land water flowing over Teddington Weir.

The area particularly affected lies between Kew Railway Bridge and Richmond half-tide lock.

Under low flow conditions water levels in the above area will remain at or less than chart datum between three hours before and one hour after the time of predicted low water at Richmond Lock. Low water levels of 0.5m below Chart Datum are to be expected.

During such periods of reduced depths, Masters of vessels navigating upriver of Putney should only do so with caution and should also make every effort to avoid impeding the passage of commercial vessels, which are very constrained in their ability to manoeuvre in such conditions.

Small boats should check the status of the ebb tide flag warning (p. 15)

## The Upper Tideway

The Upper Tideway refers to the part of the river between Teddington Lock and Putney Pier.

Although the Upper Tideway runs through the suburbs of west London, it has much more green space and wildlife than the river below it. There are fewer walls and wharves on the river's edge and much less commercial traffic in this section so as a result the water is generally calmer.

Due to these conditions, **the Upper Tideway is very busy with recreational users** including paddlers, sailors and motor cruisers but by far the most common recreational sport in this part of the river is rowing.

The Upper Tideway involves two different navigation patterns for small boats (see diagram, right):


Col Regs (p.60)

Col Regs apply to all vessels above Syon Crossing.

**Upper Tideway Code Area** (p. 62)

Working the slacks applies to rowing and paddled boats.







## **Teddington Lock to Syon Crossing**



A mass start to a kayak race above Richmond Bridge



Very low water exposed shoals above Richmond Weir due to the draw-off


This part of the river is outside the Upper Tideway Code Area and can get very busy with recreational boats. In this stretch there are:

- Richmond canoe club and EPIC SUP
- Twickenham and Richmond Bridge Rowing clubs
- Twickenham and Richmond Yacht clubs
- RNLI Lifeboat station at Teddington Lock
- · A public boat hire business
- · Commercial boat yards
- Houseboats at Isleworth, Richmond, Marble Hill and Eel Pie Island
- Scheduled stopping point for commercial sight-seeing/ passenger vessels at Richmond
- Draw docks giving public access to the river

In the vicinity of Richmond Bridge/quay the river is narrow and can get very busy, with hired rowing boats and pleasure cruisers, especially at weekends and in the summer.

This area above Richmond Bridge is used extensively by racing kayaks and canoes from Richmond Canoe Club for training and racing. During races, race organisers should ensure the river is clear of transiting vessels and should consider having 'spotters' above and below the race course.

The draw-off (p.14) allows the river to drain to its natural level, which is much lower than usual, almost to the point of drying out completely in places.



#### Col Regs (Rule 9a) apply to all vessels.

Regardless of the tide direction, all vessels should navigate to the starboard side of the river, in their direction of travel, at all times. Small boats should aim to be out of the Fairway and in the starboard Inshore Zone, as close to the bank as is safe and practicable.


If water levels allow, man-powered boats may also use the water out of the main channel, behind the aits and islands, particularly when travelling inbound (upriver). They are not to be used as a shortcut by coaching launches.

Inbound navigation

Outbound navigation



Be aware that on the Isleworth Ait corner at the EBB tidal set will push small boats across the Fairway towards the Pink Lodge and into the path of inbound vessels on the Middlesex/north bank. Steers must be pro-active in staying to starboard on the Surrey/south bank (see right).





### **Richmond Lock and Weir**

The lock and weir at Richmond is a half-tide lock. This means that for approximately 2 hours either side of high water arches #2 and #3 are normally open to navigation. Severe dry weather and very low tides can reduce this 4hr window when the weirs are raised. Predicted high water times can be found at – tidepredictions.pla.co.uk/

At all other times those arches are closed due to weirs being lowered into the river to maintain the water level above the lock. Be aware that the weirs are lowered without much notice so particular attention must be paid to **lookout** in this vicinity.

There is an Exclusion Zone which extends from either end of Lock Island in a line across the river to the Middlesex shore (see diagram, right).

#### No vessel should enter this zone whilst:


- · the weirs are in the lowered position;
- the weirs are being operated

The only exceptions to this are:

- · vessels manoeuvring on or to the Lock Island berths;
- · vessels engaged in emergency operations;
- small boats utilising the boat rollers in #1 arch

Only when the weir gates are fully raised and the Closed Arch Signs have been removed are vessels permitted to transit the Exclusion Zone and arches #2 or #3.

Note: Richmond Lock and Weir is covered by CCTV.







Above: Looking upriver from below the weir, showing the barriers down



Above: Looking downriver from above the weir, showing the barriers down

## **Syon Crossing to Chiswick Bridge Crossing**




The Syon reach buoy, is the point at which the navigation pattern changes from Col Regs to working the slacks in the Upper Tideway Code Area.



This part of the river forms the top half of Upper Tideway Code Area and is very busy with recreational boats, especially at the weekends and on summer evenings. In this stretch there are:

- 6 boat houses with over 25 rowing clubs
- Canoe, kayak and SUP clubs at Kew Stone Bridge
- Outrigger and Dragon boat club at UL
- A sailing club at Kew Rail Bridge
- Commercial boatyards at Brentford
- Houseboats at Kew Pier
- Boats entering and leaving the river at Brentford Lock and Chiswick Marina (2 hours either side of high tide)
- Scheduled stopping point for Passenger vessels at Kew Pier (which require space manoeuvre in the Fairway)
- Draw docks giving public access to the river
- The Syon and Chiswick Bridge Crossing Zones
- Local crossings at Brentford Lock, UL and Chiswick Marina




Due to high river trafffic density, the Upper Tideway Code Area is the only part of the Tideway where the edges of the Fairway and the *Crossing Zones* are marked with navigation buoys:


Surrey/south side = red buoys ■: A green buoys = Middlesex/north side



## Syon to Chiswick Bridge ► EBB tide navigation



## Syon to Chiswick Bridge **◄ FLOOD** tide navigation






## Navigational hazards ► EBB tidal set around Kew bend

The tidal set is particularly strong on the ebb tide at Brentford Ait and will always push small boats towards across the Fairway towards the Middlesex/north bank.




This tidal set continues to push small boats onto the port side of the Fairway at Kew Stone Bridge and potentially into the path of vessels inbound below the bridge who are unsighted because of the bend.





Around Kew bend on the ebb tide, steers must be pro-active in staying to the starboard side of the Fairway (close to the red buoys) and not be pushed over to port by the tidal set.


## Navigational hazards ► EBB tidal set around Kew bend



The ebb tidal set continues around the bend and below Kew Stone Bridge where it continues to push small boats off the starboard line, towards Harbourmasters Pontoon and Oliver's Ait.



After Kew Rail the tidal set encourages steers to 'cut the corner' down Mortlake reach, pushing them to port side of the Fairway and into the path of inbound vessels.



#### **Kew pier**

This pier, just below Kew Stone Bridge, is a scheduled stopping point for Class V passenger vessels, which operate mostly in the summer months.

These large vessels are likely to turn around in the Fairway below the bridge, alongside of Kew Pier and small boats must always give way to a Class V vessel as it is limited in its ability to manoeuvre by the river depth.

This is particularly hard to see when approaching with the ebb tide from above the bridge so extra good lookout is necessary including listening for any sound signals (p.56) which would indicate manoeuvring by a Class V vessel.




## Navigational hazards: Kew bridges

Between the bridges at Kew is a notorious hot spot for incidents, particularly at low water where the river gets very narrow. Small boats should transit both bridges as quickly, efficiently and safely as possible. Between the red buoys either side of both bridges and in both the Fairway and the Inshore Zone. Small boats should keep an extra good lookout and must not:


stop, spin or turn

- · proceed abreast or overtake
- baulk or impede other vessels
- · do technical exercises




## **Kew Stone (road) Bridge**

- The inshore/Surrey arch (#3) can get extremely shallow at low water and all small boats using the Inshore Zone must take extra care here.
- Visibility through the bridge is very poor so using the centre arch (#2) inbound against the ebb tide is not advised. Instead the recommendation is to turn around before Harbourmasters Buoy if arch #3 of Kew Stone Bridge is impassable.
- If the centre arch (#2) absolutely must be used then only do so with EXTREME CAUTION, ensuring the Fairway above the bridge is entirely clear before proceeding, staying tight to the Surrey buttress.
- Rowing boats: To even consider attempting this manoeuvre, all crews *must* have an accompanying coach to spot upstream through the bridge for them.




## **Kew Rail Bridge**

- The inshore/Surrey arch (#5) often dries out completely at low water and all small boats using the Inshore Zone must take extra care here.
- Visibility through the bridge is good so boats going inbound against the ebb tide in the Inshore Zone may very carefully navigate through #4 arch instead – but only if the Fairway is clear. Boats in the Inshore Zone must always give way to those in the Fairway and once clear of the bridge buttress must move back in the Inshore Zone immediately.
- Rowing boats: Doubt about the water depth at Kew Rail will indicate the same at Kew Stone. If in doubt, turn around here or below the Harbourmaster buoy and continue the outing downriver, rather than risk transiting the centre arch of Kew Stone Bridge.





## Chiswick Bridge Crossing to Putney Bridge Crossing




The *Putney Crossing Zone* is where the navigation pattern changes from working the slacks in the Upper Tideway Code Area to Col Regs.




This part of the river forms the bottom half of Upper Tideway Code Area and is very busy with recreational boats, especially at the weekends and on summer evenings. In this stretch there are:

- 17 boat houses with over 30 rowing clubs
- Canoe clubs at Chiswick Pier, Fulham reach and Barn Flms
- Sailing clubs at Hammersmith, Barn Elms and Putney
- RNLL ifeboat station at Chiswick Pier
- Commercial boatyard and moorings at Putney
- Houseboats at Chiswick Pier and Dove Pier.
- Scheduled stopping point for Passenger vessels at Putney Pier (which require space to manoeuvre in the Fairway)
- Draw docks giving public access to the river
- CSO at Putney Embankment Forshore
- The Chiswick Bridge, Chiswick Steps and Putney Crossing Zones
- Local Crossings above and below Hammersmith Bridge






## Chiswick Bridge to Putney ► EBB tide navigation



## **Chiswick Bridge to Putney ◄ FLOOD tide navigation**




## Navigational hazards: Barnes bend and bridge

After Chiswick Bridge, steers **outbound on the ebb tide** are often tempted to 'cut the corner' on the port side of the Fairway around Barnes bend putting them into the path of inbound vessels.




This is particularly hazardous as being on the (wrong) port station means it's impossible for inbound vessels approaching below Barnes Bridge to see outbound boats behind the bridge buttress.







## **Corney and Chiswick reaches**



The Surrey/south foreshore is extensive at low water, particularly where the river narrows around Chiswick Pier. It is especially tricky for boats in the Inshore Zone against the ebb tide. Take extra care at low water.



**Rowing boats** must stick to the starboard side of the Fairway and not try to 'stay in the 'stream' or take the racing line. This line is only allowed when the river is shut for Head races.



## Navigational hazards: Dove Pier ◀ FLOOD Tide


Upriver of Hammersmith Bridge on the Middlesex/north bank Dove Pier has been the scene of several **very serious (rowing) incidents** on the flood tide. The flood tide is very fast and inattentive navigation can develop very quickly into a dangerous situation.

Inbound boats on the starboard side of the Fairway are very easily pushed out of the Fairway towards Dove Pier by the set of the flood tide potentially causing a collision with the large barges on the pier.

The green *Dove Pier Buoy* has been positioned on the edge of the Fairway downriver of Dove Pier as a guide to help steers, who should stay to port side of this buoy.


To help avoid this situation occurring, steers inbound on the flood should should not completely cut the corner (see picture bottom right) but should aim to pass under the word "BRIDGE" on Hammersmith Bridge.







## Navigational hazards: Hammersmith Bridge ► EBB Tide






The inshore/Surrey span (#3) of Hammersmsith Bridge often dries out completely at low water and all small boats using the Inshore Zone must take extra care.

Visibility is reasonably good here so boats going inbound against the ebb tide, in the Inshore Zone, may very carefully navigate through the main span – but only if the Fairway is clear. Boats in the Inshore Zone *must* always wait and give way to those in the Fairway.

There are **yellow markers** under the bridge and steers making this manoeuvre **must** stay between these markers and the bridge buttress. Once clear of the bridge buttress they must move back in the **Inshore Zone** immediately.



# Navigational hazards: Putney Bridge and crossing

From a navigational perspective Putney is rather a critical point as it is where the Upper Tideway Code Area ends and Col Regs navigation through Central London begins.


Putney Embankment is a hub for recreational boats, rowing clubs in particular but there are also paddling and sailing clubs, as well as public access to the river and fixed moorings. Commuter and pleasure boat services also run from Putney Pier –

thamesclippers.com/plan-your-journey/timetable


## Navigating and turning safely and correctly at Putney requires attention:

On an ebb tide rowing boats should approach the crossing zone on the starboard side of the Fairway, close to the line of moored boats. To turn and go back inbound up the Surrey Inshore Zone there are four options – see diagrams. Due to the increased hours of operation of the river bus, OPTION 1 is strongly recommended for rowing and paddled boats turning before the bridge.


Except through the designated gap, under no other circumstances should small boats or launches go straight through the moored boats opposite Putney Embankment. \*This manoeuvre is extremely dangerous\*




Turn to Surrey at the large gap in the line of moored boats along Putney Embankment. There is a risk of being swept onto a moored boat so any turn should start before reaching the gap.



Turn to Surrey around the last moored boat, into the gap between that boat and Putney Pier. There is a risk of getting swept onto the pier so any turn should start before reaching the last moored boat.



Continue through Putney Bridge then turn to Middlesex and return through #2 arch. Cross the river back to Surrey using the *Putney Crossing*Zone – always give way to boats in the Fairway.




and return through the #5 arch then behind

there is sufficient water under Putnev Pier.

Putney Pier. This is a safe option but only when

Gap in **MIDDLESEX** The moorings 'Black Buov' Putney Crossing Zone Moored boats **FULHAM** PUTNEY **RAILWAY EMBANKMENT** BRIDGE Moored boats PUTNEY PIER SURREY **PUTNEY BRIDGE** Flood Tide - OPTIONS

On the Flood, turn using either of the two defined gaps described in options 1 & 2, completing your turn after passing through the gap and entering the fairway to avoid getting swept onto any obstacles.




**Under no circumstances** should boats continue through Putney Bridge, turn to Surrey, return through arch #4 and then go *outside* Putney Pier. \*This manoeuvre is extremely dangerous\*



#### **Central London**

Central London refers to the part of the river between Putney Bridge and Tower Bridge.



In this section of the river, especially below Westminster Bridge (Heart of London) higher volumes of passenger and commuter traffic, as well as work boats and barges are to be expected. The river's edge is also almost entirely walls and wharves and as a result the water is generally rougher and there are fewer places to get out of the river.

As well as being busy with choppy water, there are also 20 bridges and countless piers, moorings and wharves to negotiate. For those reasons Central London is not especially well suited to recreational activities, particularly in fine rowing boats, all open boats and SUPs. Sea or touring style kayaks with closed cockpits are best suited to coping with the water in this section.

Small boats are, however, not banned from navigating through Central London but journeys require much more stringent planning – some specific requirements and restrictions apply which are detailed in this section.

#### Col Regs (Rule 9a) apply to all vessels.

Regardless of the tide direction, all vessels should navigate to the starboard side of the river, in their direction of travel, at all times.

Small boats should aim to be out of the Fairway and in the starboard Inshore Zone, as close to the bank as is safe and practicable. Slacker water is found closer to the bank

WANDSWORTH

BRIDGE

BRIDGE


**FULHAM** 

RAILWAY


BRIDGE

Wandsworth

River Wandle



#### HEART OF LONDON - pages 104-109



In Central London, small boats should continually assess the situation and have a robust plan developed prior to navigating in this area. This plan will assist in deciding on the safest time to navigate through Central London and where the safest places to be positioned are. The following pages contain further detail.

There are restrictions for SUPs in Central London. These are listed overleaf (also p. 43).



## **Putney Bridge to Chelsea Bridge**



#### Rowing

Rowing boats are advised to inform London VTS if they go below Wandsworth Bridge but it has been agreed that they may proceed as far as Chelsea Bridge without having to contact London VTS.

#### This is a concession, don't abuse it!

Due to commercial barge traffic movements at various freight facilities, rowers must not proceed below Fulham Railway Bridge for 3hrs before and 2hrs after high tide at London Bridge.

Rowing boats should not proceed below Wandsworth Bridge, regardless of tide, unless the outing plan has been pre-approved by the Club Rowing Safety Advisor.

Rowing boats *must* inform London VTS if going **afloat** in the dark below Wandsworth Bridge.





#### **Paddling**

Paddled boats must inform London VTS if thev intend to paddle into or through the Heart of London (between Chelsea Bridge and Cherry Garden Pier).

All paddled boats *must* inform London VTS if going afloat in the dark below Wandsworth Bridge.

#### **SUP restrictions between Putney and Chelsea Bridges:**

- · At least one person must carry a VHF radio (Channel 14)
- Do not paddle 3 hours before and 2 hours after high water at London Bridge, due to large freight vessels movements
- Unless they hold an SUP Safer Thames Tideway Award with \*some experience SUP must be accompanied by BC trained Paddlesport Leader at a ratio 5:1
- At night, paddlers must hold a minimum of SUP Safer Thames Tideway Award and paddle as a group of at least three boats
- No solo paddling at night
  - \*Some experience means have paddled on the tidal Thames on at least three previous occasions
- Kayaking London & EPIC CIC at Cremorne Wharf are the only paddling clubs in this section



VICTORIA RAIL

(GROSVENOR)

#### Col Regs (Rule 9a) apply to all vessels.

**Regardless of the tide direction,** small boats should, whenever possible, navigate out of the Fairway and in the starboard Inshore Zone, as close to the bank as is safe and practicable.

When water levels allow, always use the bridge arch closest to the shore, unless it is closed and always pass inside/under all piers except where specific advice says otherwise (pp. 109–111).





CHELSEA

**KFY BATTERSEA ROAD BRIDGE** Inbound navigation Kayaking London Outbound navigation EPIČ CIC Cremone Wharf Passenger vessel stop Commercial freight berth CHELSEA Draw Dock **HARBOUR** CSOs at Putney Embankment Forshore **Battersea** Chelsea and Chelsea Bridge Embankment reach Harbour Pier Foreshore BATTERSEA **RAIL BRIDGE** 1 London Heliport Putney **FULHAM** Crossing **RAILWAY BRIDGE** HURLINGHAM Wandsworth Putney Plantation Wharf **PUTNEY** 6 BRIDGE WANDSWORTH BRIDGE WANDSWORTH SMUGGLERS WAY PARK WASTE TRANSFER STATION

River (Wandle

The area to the north of the Fairway between Cremorne Wharf and Vauxhall Bridge is not used by the commercial freight vessels at Nine Elms, Cringle Dock and Battersea power station. Therefore this area could be used by paddlers, when paddling with either tide, to keep out of the way of other traffic if the need arises and water levels allow.

There is a 100 m Exclusion Zone around the London Heliport above Battersea Rail Bridge. Small boats may transit this area but for safety reasons, must not stop in it.



## **Chelsea Bridge to Tower Bridge (Heart of London)**



#### Rowing

Rowing below Chelsea Bridge and into the Heart of London is discouraged, particularly in fine boats. Wider rowing boats with more freeboard are more suitable but open boats should be fitted with sufficient buoyancy. Using coxed boats is also advised.

It is recommended that all rowing excursions into or through central London are restricted to the weekends before 10.00am when the river is less busy with commercial traffic.

#### For Upper Area-based clubs:

All rowing boats *must* inform London VTS if they intend to row into or through the Heart of London (i.e. below Chelsea Bridge)

#### For Lower Area-based clubs:

- Rowing boats *must* inform London VTS if they intend to row into or through the Heart of London (i.e. above Cherry Garden Pier)
- If going above Cherry Garden Pier rowers should cross at Surrey Entrance Crossing and use the north bank (p. 119)
- If returning downriver, rowers should stay on the south bank and turn before Cherry Garden Pier (p.119)



#### Paddling

Paddling open boats below Chelsea Bridge and into the Heart of London is discouraged but all open boats should be fitted with sufficient buoyancy. Sea or touring style kayaks with closed cockpits are the most suitable type of paddle boat for the conditions in this part of the river.

All paddled boats *must* inform London VTS if they intend to paddle below Chelsea Bridge and into or through the Heart of London (pp. 108-111).

#### **SUP** restrictions between Chelsea and Tower Bridges:

In addition to the requirements on page 104:


- No paddling 11.00hrs-18.00hrs between Good Friday and September 30th
- SUPs must paddle only as part of a group led by a Paddle UK trained, commercially licensed SUP leader
- No paddling at night.
- Westminster Boating Base in Nine Elms reach is the only paddling club in this section





There are Exclusion Zones in front of MI6 at Vauxhall Bridge and Westminster Palace. Small boats should not enter these areas

The area to the north of the Fairway between Cremorne Wharf and Vauxhall Bridge could be used by paddlers, when paddling with either tide, to keep out of the way of other traffic if the need



WESTMINSTER O


PALACE

BRIDGE

Lambeth

ambeth Pier

reach



#### Col Regs (Rule 9a) apply to all vessels.

Regardless of the tide direction. small boats should, whenever possible, navigate out of the Fairway and in the starboard Inshore Zone, as close to the bank as is safe and practicable. When water levels allow, always use the bridge arch closest to the shore, unless it is closed and always pass inside/under all piers unless specific advice says otherwise (pp. 108–111).

Inbound navigation

**KEY** 

Passenger vessel stop

Outbound navigation

Commercial freight berth

CSOs at: Chelsea Bridge Embankment Foreshore, Heathwall Pumping station (Nine Elms Reach), Albert Embankment Foreshore (Vauxhall Bridge), Victoria Embankment Foreshore (Charing Cross Rail Bridge) Blackfriars Bridge Foreshore

### **Heart of London**

For the purposes of this code, the Heart of London is the section between **Chelsea Bridge and Cherry Garden Pier.** This by far the busiest part of the Tideway, especially in the summer months.

Commuter services (such as Clippers) run less frequently at weekends above Chelsea Bridge but sightseeing trips still operate, from around 10.00am. Therefore, the PLA encourage small boats to only transit this section **before 10.00am on weekend mornings**.

# General advice for navigating small boats in the Heart of London:

- Only the most experienced and qualified Tideway steers should attempt to navigate this section outside the times advised above.
- Keep a very good, proactive lookout and proceed with extreme caution at all times.
- Use of a personal VHF (Channel 14) to help understand traffic movements is recommended.
- Expect high waves and rough water and be aware of wash from behind as well as in front.
- Make your intentions clear and try to make eye contact with the helm of motor vessels.
- Clipper services rarely spend long at a pier. Let them leave the pier rather than attempt to go around them while they are stopped.

## **Navigational hazards: Piers**

Navigational hazards are ever present in the Heart of London and too numerous to list in detail.

However, when navigating around the numerous piers it is important to pass inside/under them whenever water levels and width allows. Do so as a tight group and ensure that the helm of any vessel can see the group, before returning to the starboard edge of the river.

Exceptions to this procedure are detailed on the following pages, starting with Westminster on <u>p.109</u>.



### Westminster and Embankment

The river between Westminster and Charing Cross Rail Bridges is extremely busy with tourist and commuter traffic often causing rough water conditions. There are three piers in this section that require particular caution:

Embankment Pier

Never go inside Embankment Pier






There are barriers to prevent vessels from going inside or under the very busy Waterloo Pier, Steers should wait until they are certain that it is safe to go around the outside then tuck back in immediately once past. When waiting for the Fairway to clear also be aware of the tidal set on the ebb tide.

### Westminster Pier

A decision whether or not to go inside Westminster Pier should only be considered by the most experienced paddlers or leaders. If in doubt go outside but with extreme caution as this pier is also very busy.

Rowing boats should always go outside Westminster Pier






### **Bankside Pier**

Due to the pier not being in line with the river flow or the bank, the river 'funnels' behind Bankside Pier so is especially hazardous.

Going outside Bankside Pier is recommended and extreme care should be taken if choosing to go inside. Inexperienced paddlers and rowing boats should not go inside Bankside Pier.

- An early decision should be made on which line the group should take, especially on the ebb tide. Navigational intentions should be made very clear to other vessels – which may be approaching from behind.
- Remember that Clipper services will not stop at the pier for long so it is generally best to wait for them.
- If choosing to go outside a vessel stopped on Bankside Pier, don't cut-in closely across her bows once passed. Continue well past the bows and, if possible, make eye contact with the helm to ensure that they have seen you before returning to the south bank.
- If choosing to go behind Bankside Pier, passenger vessels may have even less chance of seeing you as you reappear in front of them from behind the pier.



The river narrows a little between Blackfriars Bridge and London Bridge. As a result the tidal stream increases in strength here, which can also increase wave height. Just below London Bridge the effect of the old bridge foundations on the river bed can cause large wave height, particularly on the last of the ebb tide.

## LONDON BRIDGE Tower TOWER OF Pier LONDON London Bridge City Pier **HMS** BELFAST **TOWER KEY** BRIDGE

- Inbound navigation
- Outbound navigation
- Passenger vessel stop
- Commercial freight berth

## The Upper Pool

The Upper Pool, between London Bridge and Tower Bridge, is another particularly busy section with a lot of tourist and commuter river traffic often causing rough water conditions. It requires good judgement and caution to navigate, especially outbound.

#### **Tower Pier**

This is an extremely busy pier and a lot of commercial vessels cross the river between Tower Pier and London Bridge City Pier. If the water level allows, small boats should go behind/under Tower Pier.

#### **HMS Belfast**

It is recommended that all small boats go inside HMS Belfast, water levels allowing – but there are pros and cons:

#### Outside HMS Belfast?

- More visible to other river traffic.
- More easily avoids moorings below Tower Bridge.

#### Inside HMS Belfast?

- · Less wash and less traffic.
- · Easier to recover to shore.

Make an early decision, especially on the ebb tide and clearly show your intentions to other vessels.



The Lower Tideway is complicated by the fact that small boats follow different navigation patterns within the Lower Tideway Code Area – between Cherry Garden Pier and Royal Wharf Pier:

- Rowing boats must work the slacks against the tide.
- Paddled boats should follow Col Regs at all times.

In fact, paddled boats are permitted to work the slacks but to avoid complication, it is recommended that they don't. Should paddlers choose to work the slacks then they must make it very obvious to other river users, particularly rowers, which navigation pattern they are following.

Fortunately recreational use is quite light in this part of the river and it is easy to keep a good lookout for some distance ahead.

## **Lower Tideway**

The Lower Tideway refers to the part of river below Tower Bridge out to the estuary (although in practical terms small boats rarely venture far below the Thames Barrier).

The river is less commercially orientated above the Barrier but regular commuter services do still run. The river's edge is mostly walls and wharves (a hint of the industrial past) and the river is now much wider and more open. The water can get very rough and places to get out are still few and far between. This section is less suited to recreational activities, particularly in open boats and SUP's may not paddle on this section at all.

Other paddled and rowing boats are able to use the Lower Tideway but more consideration must be made to the probable conditions and there are two different navigation patterns for small boats (see diagram right).

**Col Regs** (p. 60)

Col Regs apply to all vessels below Tower Bridge except rowing boats.

**Lower Tideway Code Area** (p. 63)

Working the slacks applies to rowing boats only.



### **Lower Tideway Code Area**

Cherry Garden Pier to Royal Wharf Pier

#### When navigating against the tidal stream:



Rowers must work the slacks in the Inshore Zones.

It is recommended that paddlers navigate according to Col Regs (Rule 9a) rather than work the slacks.

#### When navigating with the tidal stream:

Both rowers and paddlers should use the Fairway and Col Regs (Rule 9a) apply.

TOWER EAST BRIDGE CANARY CUCKHOLD'S CABLE CAR DOCKS **THAMES** ARENA Royal BARRIER WEST Wharf ST. SAVIOUR'S Cherry Garden Pier ISLE OF DOGS

**CUTTY SARK** 

**SUP** is not permitted below Tower Bridge

### Col Regs


ROYAL


Tower Bridge to Cherry Garden Pier and below Royal Wharf Pier

Regardless of what the tide is doing, all small boats should navigate to the starboard side of the river at all times. Aim to be as close to the starboard bank as is safe and practicable - travelling in either direction. Where water levels and width allows, always pass inside/under all piers.

On the Lower Tideway, small boats should continually assess the situation and have a robust plan developed prior to navigating in this area which will assist in deciding where the safest places to be positioned are. The following pages contain further detail.







500m Below the Thames Barrier, the Tideway is rarely used by small boats. The estuary is particularly unsuitable due to the volume of large freight shipping and small boats must make London

All vessels must obtain permission from London VTS in order to transit the Thames Barrier London VTS

will advise which span to use.

**THAMES** 

**BARRIER** 

At all times, navigate according to Col Regs/starboard side of the river and be as close to the starboard bank as is safe and practicable.

VTS aware that they are afloat and of

their intentions below the Barrier.



## Tower Bridge to Greenwich → Tideway Code Area



The *Surrey Entrance Crossing Zone* is where the navigation pattern changes from Col Regs to working the slacks in the Lower Tideway Code Area.



For the most part, this section of the river forms the top half of Lower Tideway Code Area where rowing boats are obliged to work the slacks. Rowing boats are *advised* to inform London VTS prior to going afloat on the Lower Area.

#### Hazards include:

- Busy commercial traffic movements particularly at Cherry Garden, Canary Wharf, Hilton, Greenland and Masthouse Terrace Piers
- Extensive shallows at low water on the south bank around Nelson Dock (Hilton) Pier and on the north bank around the Isle of Dogs.
- · Multiple piers, moorings and wharves
- Motor vessels accessing the river at Limehouse,
   St. Katharine's Dock and South Dock Marinas.
- Small boats accessing the river at Shadwell Basin, Docklands and Ahoy Activity Centres
- Draw Docks giving public access to the river
- CSO at King Edward Memorial Park Foreshore
- A Local Crossing at Ahoy Boating Centre
- The Surrey Entrance and Chalkstones Crossings
- A strong tidal set around Isle of Dogs and Cuckhold's Point. This applies in particular to Canary Wharf Pier and Greenwich Ship Tier
- Greenwich Ship Tier Exclusion Zone



ST. KATHARINE'S

SAVIOUR'S

DOCK

**BRIDGE** BASIN DOCK New Crane Queen Wharf POINT Wharf Upper Pool Surrey Entrance Crossina Wapping Old Surrey Ventilation shaft FAIRWAY Entrance Butler's Wharf Lower Pool ST. MARY'S

SHADWELL

Barge


Moorinas


CHURCH

All small boats must inform London VTS (p. 36) if they intend to proceed above Cherry Garden Pier.

Cherry

Garden Pier





LIMEHOUSE MARINA

FAIRWAY

CUCKHOLD'S

Nelson Dock

Barnard's

Wharf

(Hilton) Pier

LIMEKILN

DOCK

Canary Wharf


West India Pier

CANARY

WHARE

Pier





## **Turning at Cherry Garden Pier** ► EBB tide

← Crews rowing inbound against the EBB ▶ tide intending to return downriver:

Should remain in the Inshore Zone on the south bank, navigating inside the ventilation shaft, if there is sufficient water to do so. Otherwise take care going outside and stay out of the Fairway if possible.

**Turn** anywhere before the downriver end of the Barge Moorings and **return downriver with the EBB tide** as described below.

→ Crews rowing outbound with the EBB ► tide having turned before (or come from above) Cherry Garden Pier:


Navigate outside the pier and Barge Moorings then: stay on the starboard edge of the Fairway and outside the ventilation shaft – but be aware of other crews rowing inbound against the ebb in the Inshore Zone on the south bank (inside the ventilation shaft).


← Crews rowing inbound against the EBB ▶ tide intending to proceed upriver through Tower Bridge:

Should cross at the *Surrey Entrance Crossing* and follow Col Regs/starboard side along the north bank, staying outside the Fairway where possible.


X

Crews who use Col Regs navigation must not then cross at Cherry Garden Pier and return downriver.









## **Turning at Cherry Garden Pier** ◀ **FL**

← Crews rowing inbound with the ◀ FLOOD tide intending to return downriver:

Cross at the *Surrey Entrance Crossing* and continue upriver on the **port side** of the Fairway. **Turn** anywhere before the downriver end of the barge moorings into the *Inshore Zone* on the south bank and return as described below.

→ Crews rowing outbound against the ■ FLOOD tide having turned before (or come from above) Cherry Garden Pier:


Navigate inside the pier and Barge Moorings then: stay in the Inshore Zone, as close to the south bank as is safe. Navigate inside the ventilation shaft if there is sufficient water to do so. Otherwise go carefully outside this obstacle but stay out of the Fairway if possible.


← Crews rowing inbound with the ◀ FLOOD tide intending to proceed upriver through Tower Bridge:

Do not cross but remain on the north bank and navigate according to Col Regs on the starboard side of the Fairway.

X

Crews who use Col Regs navigation must not then cross at Cherry Garden Pier and return downriver.







## **Greenwich to Thames Barrier** — **Tideway Code Area**






For the most part, this section of the river forms the bottom half of Lower Tideway Code Area where rowing boats are obliged to work the slacks.

Rowing boats *advised* to inform London VTS prior to going afloat on the Lower Area.


#### Hazards include:

- Busy commercial traffic movements particularly Greenwich and Trinity Jubilee Pier, Victoria Dock Entrance, Thames and Northumberland Wharves
- Extensive shallows at low water on the north bank around the Isle of Dogs and on the south bank around Blackwall point (O2 Arena)
- Multiple piers, moorings and wharves including the dry docks at Bay Wharf
- Motor vessels accessing the river at Bow Creek, East India and West India docks
- A strong tidal set around Isle of Dogs and Blackwall Point
- The Follyhouse and Blackwall Crossings
- Local crossing for the:
- Rowing clubs at Greenwich pier
- Yacht clubs on Bugsby's reach

### **Greenwich to Thames Barrier**



### **Greenwich to Thames Barrier** ▶ **EBB tide**



to transit the Thames Barrier.

CUTTY SARK

## **Turning at the Thames Barrier** ► **EBB tide**

→ Crews rowing outbound with the EBB ► tide intending to return upriver:

Cross at the *Blackwall Crossing* and continue downriver on the **port side** of the Fairway.

**Turn** after Royal Wharf Pier but at least 500m before the Thames Barrier into the Inshore Zone on the north bank and return as described below.

← Crews rowing inbound against the EBB ▶ tide having turned or come through the Thames Barrier:

Remain in the Inshore Zone, as close to the north bank as is safe. Navigate inside Royal Wharf Pier if there is sufficient water to do so. Otherwise go carefully outside the pier but stay outside the Fairway avoiding any outbound boats on the port side of the Fairway.


Navigate outside the moorings below the *Blackwall Crossing* then cross onto the south bank and proceed around Blackwall point in the Inshore Zone as close to the bank as is safe. Be aware of other crews rowing outbound on the starboard side of the Fairway.

→ Crews rowing outbound with the EBB ► tide intending to transit the Thames Barrier:


Should stay on the south bank at *Blackwall Crossing* and continue on the starboard side of the Fairway.

X

Crews who use Col Regs navigation must not then cross the river in front of the Barrier and return upriver.



### **Greenwich to Thames Barrier ◆ FLOOD tide**



## **Turning at the Thames Barrier ◄ FLOOD tide**

→ Crews rowing outbound against the FLOOD tide intending to return upriver:

Cross at *Blackwall Crossing*, navigate outside the moorings then stay in the Inshore Zone, as close to the north bank as is safe.

Navigate inside Royal Wharf Pier if there is sufficient water to do so. Otherwise go carefully outside the pier staying out of the Fairway and give way to any rowing crews inbound on the flood tide.

**Turn** after Royal Wharf Pier but at least 500m before the Thames Barrier onto the starboard side of the Fairway and return as described below.

← Crews rowing inbound with the ◀ FLOOD tide having turned or come through the Thames Barrier:


Stay on the starboard edge of the Fairway. Navigate outside Royal Wharf Pier and be aware of other crews rowing outbound in the Inshore Zone.

→ Crews rowing outbound against the 
FLOOD tide intending to transit the Thames Barrier:

Do not cross at the *Blackwall Crossing* but remain on the starboard side of the Fairway and navigate according to Col Regs.


X

Crews who use Col Regs navigation must not then cross the river in front of the Barrier and return upriver.









RVC College BC



### The Port of London Authority (PLA)

London River House, Royal Pier Road, Gravesend, Kent DA12 2BG

Head Office • 020 7743 7909
Richmond Lock • 020 8940 0634
PLA Harbourmaster • harbourmaster@pla.co.uk

pla.co.uk • activethames.co.uk

#### **London Vessel Traffic Services (VTS)**

**Teddington to Crayfordness** 

Crayfordness to Sea Reach 4

Phone • 01474 560311 VHF • Channel 68

Sea Reach 4 to Seaward Limit

Phone • 01474 560311 VHF • Channel 69

#### **RNLI**

Emergencies • Phone 999/112 ask for Coastguard

Chiswick • chiswicklifeboat.org.uk

Tower • towerrnli.com

Safety • rnli.org/safety/respect-the-water

**Thames Regional Rowing Council (TRRC)** 

thames-rrc.co.uk

**British Rowing** 

<u>britishrowing.org</u> • <u>safety@britishrowing.org</u>

Paddle UK

paddleuk.org.uk • gopaddling.info

Great Britain Outrigger Canoe Association *aboca.org* 

The Royal Yachting Association (RYA)

rya.org.uk • thegreenblue.org.uk

**The Environment Agency** 

gov.uk/check-river-conditions-and-closures/river-thames

Thames Water

thameswater.co.uk



